

On $(J - \delta)$ Semi Homogeneous Systems of Differential Equations

Aya H. Hasan*, Bassam Jabbar AL-Asadi

Department of Mathematics, College of Science, Mustansiriyah University, Baghdad, Iraq.

*Corresponding Author.

Received 22/09/2023, Revised 03/03/2024, Accepted 05/03/2024, Published Online First 20/09/2024



© 2022 The Author(s). Published by College of Science for Women, University of Baghdad.

This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract

The concept of homogeneity in differential equations can be generalized to systems of differential equations as shown in this work. The classification of three-dimensional differential equation systems is presented based on the definition of the Jacobean matrix and its determinant, where two systems of the homogeneous system are defined, called the J -semi-homogeneous system and the other δ -semi-homogeneous system, where the first definition is based on the Jacobian matrix, while the second is based on the determinant of the Jacobite matrix. Examples are given for both definitions, and the relationship between the two definitions will be studied. In addition to finding an equivalent for these two definitions, some results for these two definitions have also been proven.

Keywords: δ -semi-homogeneous system, Jacobean matrix, J -semi-homogeneous system, Semi-homogenous, System of differential equations.

Introduction

Numerous branches of mathematics and science, such as robotics^{1,2}, differential equations, and optimization, depend heavily on the Jacobian matrix. When assessing stability³, gradients, and transformations in various mathematical models and algorithms, give crucial information on the local behavior of functions⁴.

The Jacobian matrix is a matrix made up of a multivariable function's first-order partial derivatives⁵. and helps us convert one coordinate system into another. The Jacobian matrix is employed when there are several variables or functions. For determining the derivatives of implicit or composite functions. The derivative at J for a row vector of a function $f_i: \mathcal{R}^3 \rightarrow \mathcal{R}$, ($i = 1,2,3$) is defined as: $\frac{\partial(f_1, f_2, \dots, f_n)}{\partial(x_1, x_2, \dots, x_n)}$. Consequently, the following function's Jacobian matrix⁶⁻⁸ is represented as follows:

$$\begin{bmatrix} \frac{\partial f_1}{\partial x_1} & \dots & \frac{\partial f_1}{\partial x_n} \\ \vdots & \ddots & \vdots \\ \frac{\partial f_n}{\partial x_1} & \dots & \frac{\partial f_n}{\partial x_n} \end{bmatrix} \quad 1$$

In this paper, we discussed using the Jacobian matrix to classify homogeneous systems of differential equations. Many researchers focus their research on different equations⁹ while others are concerned with studying difference equations. Al-Asadi and Huda defined A system of first- and higher-order semi-homogeneous difference equations, 2021. A self-semi-homogeneous system of difference equations was introduced and generalized by Al-Asadi and Abed¹⁰, and was defined as follows P-self-semi-homogenous. Also, new definitions will be introduced for J - (δ) semi-homogenous systems, which are defined as follows: If there is a nonzero real matrix V such that the following equations hold:

$$F(VX) = J(Q)VF(X), \quad F(VX) = \det J(Q)VF(X), \quad 2$$

then a homogeneous system of differential equations is said to be J -(δ) semi-homogenous.

The concept of a J -adjoint (δ - adjoint) -semi-homogenous system of differential equations, is defined as follows: a homogenous system is called J -adjoint (δ - adjoint)-semi-homogeneous if there are two non-zero matrices V and C such that the following equations hold:

$$F(VX) = J(Q)CF(X), \quad F(VX) = \det J(Q)CF(X) \quad 3$$

and some definitions are given with examples, while certain theorems are also proved.

This work studied types of J -semi-homogenous.

Consider the system.

$$F(X) = QX \quad 4$$

where $F = \begin{pmatrix} f \\ g \\ h \end{pmatrix}, X = \begin{pmatrix} x \\ y \\ z \end{pmatrix}, F(X) = \begin{pmatrix} f \\ g \\ h \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} =$

$$\begin{pmatrix} f(x) \\ g(y) \\ h(z) \end{pmatrix} = \begin{pmatrix} \frac{dx}{dt} \\ \frac{dy}{dt} \\ \frac{dz}{dt} \end{pmatrix}$$

and $Q = \begin{pmatrix} q_{11} & q_{12} & q_{13} \\ q_{21} & q_{22} & q_{23} \\ q_{31} & q_{32} & q_{33} \end{pmatrix}$

Definition 1:

It is referred to as a J -semi-homogeneous if there is a non-zero matrix V such that system (4) satisfies the following equation.

$$F(VX) = J(Q)^k V F(X).$$

Definition 2:

If there is a non-zero matrix V such that system (4) satisfies the following equation, then it is referred to as a δ -semi-homogeneous.

$$F(VX) = \det (J(Q))^k V F(X).$$

Where J is a Jacobian matrix and \det is determined.

Remark: The next example shows that the definitions (1) and (2) are independent for a matrix V , that is the J - semi-homogeneous may be not δ -semi-homogenous with the same matrix V , and

vice versa, the following examples explain that:

Example 1:

Consider the system of differential equations

$$\begin{aligned} f(x) &= x + y + z \\ g(y) &= x - y \\ h(z) &= x + y - z \end{aligned}$$

then its δ -semi-homogenous but not J -semi-homogeneous, to show that:

$V = \begin{bmatrix} \frac{56}{299} & \frac{-27}{299} & \frac{-15}{299} \\ \frac{9}{205} & \frac{28}{205} & \frac{12}{205} \\ \frac{21}{205} & \frac{-3}{205} & \frac{28}{205} \end{bmatrix}$ satisfies the following equation:

$$F(VX) = \det J(Q)VF(X)$$

$$F \begin{bmatrix} \frac{56}{299} & \frac{-27}{299} & \frac{-15}{299} \\ \frac{9}{205} & \frac{28}{205} & \frac{12}{205} \\ \frac{21}{205} & \frac{-3}{205} & \frac{28}{205} \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = 4 \begin{bmatrix} \frac{56}{299} & \frac{-27}{299} & \frac{-15}{299} \\ \frac{9}{205} & \frac{28}{205} & \frac{12}{205} \\ \frac{21}{205} & \frac{-3}{205} & \frac{28}{205} \end{bmatrix} \begin{bmatrix} x + y + z \\ x - y \\ x + y - z \end{bmatrix}$$

$$\begin{bmatrix} \frac{56}{299}x + \frac{272}{299}y + \frac{284}{299}z \\ \frac{196}{205}x - \frac{28}{205}y - \frac{12}{205}z \\ \frac{184}{205}x + \frac{208}{205}y - \frac{28}{205}z \end{bmatrix} = \begin{bmatrix} \frac{56}{299}x + \frac{272}{299}y + \frac{284}{299}z \\ \frac{196}{205}x - \frac{28}{205}y - \frac{12}{205}z \\ \frac{184}{205}x + \frac{208}{205}y - \frac{28}{205}z \end{bmatrix}$$

Therefore δ -semi-homogenous

When $J(Q) = \begin{pmatrix} 1 & 1 & 1 \\ 1 & -1 & 0 \\ 1 & 1 & -1 \end{pmatrix}$

$$F(V(c)X) = J(Q)VF(X)$$

$$F \begin{bmatrix} \frac{56}{299} & \frac{-27}{299} & \frac{-15}{299} \\ \frac{9}{205} & \frac{28}{205} & \frac{12}{205} \\ \frac{21}{205} & \frac{-3}{205} & \frac{28}{205} \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} =$$

$$\begin{bmatrix} 1 & 1 & 1 \\ 1 & -1 & 0 \\ 1 & 1 & -1 \end{bmatrix} \begin{bmatrix} \frac{56}{299} & \frac{-27}{299} & \frac{-15}{299} \\ \frac{9}{205} & \frac{28}{205} & \frac{12}{205} \\ \frac{21}{205} & \frac{-3}{205} & \frac{28}{205} \end{bmatrix} \begin{bmatrix} x + y + z \\ x - y \\ x + y - z \end{bmatrix}$$

$$\begin{bmatrix} \frac{56}{299}x + \frac{272}{299}y + \frac{284}{299}z \\ \frac{196}{205}x - \frac{28}{205}y - \frac{12}{205}z \\ \frac{184}{205}x + \frac{208}{205}y - \frac{28}{205}z \end{bmatrix} \neq$$

$$\begin{bmatrix} \frac{6255}{12259}x + \frac{5479}{12259}y + \frac{2313}{12259}z \\ \frac{-11781}{61295}x + \frac{16033}{61295}y + \frac{15452}{61295}z \\ \frac{3767}{61295}x - \frac{3701}{61295}y + \frac{15751}{61295}z \end{bmatrix}$$

And it is not a J -semi-homogeneous.

Now we try to find an equivalent definition through the following theorem

Theorem 1:

The homogeneous system of differential equation 4 is J -semi homogeneous if and only if the matrix V equal to

$$\begin{bmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{bmatrix}, \text{ Where}$$

$$v_{11} = \frac{(q_{21}q_{11}v_{12} + q_{11}q_{31}v_{13} + q_{12}q_{11}v_{21} + q_{21}q_{12}v_{22} + q_{12}q_{31}v_{23} + q_{13}q_{11}v_{31} + q_{13}q_{21}v_{32} + q_{13}q_{31}v_{33})}{q_{11}(1 - q_{11})}$$

$$v_{12} = \frac{q_{11}q_{12}v_{11} + q_{11}q_{32}v_{13} + q_{12}^2v_{21} + q_{12}q_{22}v_{22} + q_{12}q_{32}v_{23} + q_{13}q_{12}v_{31} + q_{13}q_{22}v_{32} + q_{13}q_{32}v_{33} - q_{12}}{q_{11} - q_{11}q_{22}}$$

$$v_{13} = \frac{q_{11}q_{13}v_{11} + q_{11}q_{23}v_{12} + q_{12}q_{13}v_{21} + q_{12}q_{23}v_{22} + q_{12}q_{33}v_{23} + q_{13}^2v_{31} + q_{13}q_{23}v_{32} + q_{13}q_{33}v_{33} - q_{13}}{q_{11} - q_{11}q_{33}}$$

$$v_{21} = \frac{q_{21}q_{11}v_{11} + q_{21}^2v_{12} + q_{21}q_{31}v_{13} + q_{22}q_{21}v_{22} + q_{22}q_{31}v_{23} + q_{23}q_{11}v_{31} + q_{23}q_{21}v_{32} + q_{23}q_{31}v_{33} - q_{21}}{q_{22}(1 - q_{11})}$$

$$v_{22} = \frac{q_{21}q_{12}v_{11} + q_{21}q_{22}v_{12} + q_{21}q_{32}v_{13} + q_{12}q_{22}v_{21} + q_{22}q_{32}v_{23} + q_{23}q_{12}v_{31} + q_{23}q_{22}v_{32} + q_{23}q_{32}v_{33}}{q_{22} - q_{22}^2}$$

$$v_{23} = \frac{q_{21}q_{13}v_{11} + q_{21}q_{23}v_{12} + q_{21}q_{33}v_{13} + q_{22}q_{13}v_{21} + q_{22}q_{23}v_{22} + q_{23}q_{13}v_{31} + q_{23}^2v_{32} + q_{23}q_{33}v_{33} - q_{23}}{q_{22} - q_{22}q_{33}}$$

$$v_{31} = \frac{q_{31}q_{11}v_{11} + q_{31}q_{21}v_{12} + q_{31}^2v_{13} + q_{32}q_{11}v_{21} + q_{32}q_{21}v_{22} + q_{32}q_{31}v_{23} + q_{33}q_{21}v_{32} + q_{33}q_{31}v_{33} - q_{31}}{q_{33}(1 - q_{11})}$$

$$v_{32} = \frac{q_{31}q_{12}v_{11} + q_{31}q_{22}v_{12} + q_{31}q_{32}v_{13} + q_{32}q_{12}v_{21} + q_{32}q_{22}v_{22} + q_{32}^2v_{23} + q_{33}q_{12}v_{31} + q_{33}q_{32}v_{33} - q_{32}}{q_{33}(1 - q_{22})}$$

$$v_{33} = \frac{q_{31}q_{13}v_{11} + q_{31}q_{23}v_{12} + q_{31}q_{33}v_{13} + q_{32}q_{13}v_{21} + q_{32}q_{23}v_{22} + q_{32}q_{33}v_{23} + q_{33}q_{13}v_{31} + q_{33}q_{23}v_{32}}{q_{33}(1 - q_{33})}$$

Since F is a homogeneous system, there exists a non-zero matrix (for example, let's say V) that allows equation 2 to be held.

$$F(VX) = J(Q)VF(X)$$

$$F \left(\begin{pmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} \right) \\ = J(Q) \begin{pmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{pmatrix} \begin{pmatrix} f(x) \\ g(y) \\ h(z) \end{pmatrix}$$

$$\begin{pmatrix} f(v_{11}x + v_{12}y + v_{13}z) \\ g(v_{21}x + v_{22}y + v_{23}z) \\ h(v_{31}x + v_{32}y + v_{33}z) \end{pmatrix} \\ = \begin{pmatrix} q_{11} & q_{12} & q_{13} \\ q_{21} & q_{22} & q_{23} \\ q_{31} & q_{32} & q_{33} \end{pmatrix} \begin{pmatrix} v_{11}f(x) + v_{12}g(y) + v_{13}h(z) \\ v_{21}f(x) + v_{22}g(y) + v_{23}h(z) \\ v_{31}f(x) + v_{32}g(y) + v_{33}h(z) \end{pmatrix}$$

The left hand is

$$\begin{pmatrix} (q_{11}v_{11}x + (q_{11}v_{12} + q_{12})y + (q_{11}v_{13} + q_{13})z) \\ (q_{22}v_{21} + q_{21})x + q_{22}v_{22}y + (q_{22}v_{23} + q_{23})z \\ (q_{31} + q_{33}v_{31})x + (q_{32} + q_{33}v_{32})y + q_{33}v_{33}z \end{pmatrix}$$

Suppose that the result of the right hand can be

denoted by $\begin{pmatrix} H_1 \\ H_2 \\ H_3 \end{pmatrix}$, then we have

$$H_1 = q_{11}^2 v_{11} x + q_{11} v_{11} q_{12} y + q_{11} v_{11} q_{13} z \\ + q_{11} v_{12} q_{21} x + q_{11} v_{12} q_{22} y \\ + q_{11} q_{23} v_{12} z + q_{11} v_{13} q_{31} x \\ + q_{11} v_{13} q_{32} y + q_{11} v_{13} q_{33} z \\ + q_{12} v_{21} q_{11} x + q_{12}^2 v_{21} y \\ + q_{12} v_{21} q_{13} z + q_{12} v_{22} q_{21} x \\ + q_{12} v_{22} q_{22} y + q_{12} v_{22} q_{23} z \\ + q_{12} v_{23} q_{31} x + q_{12} v_{23} q_{32} y \\ + q_{12} v_{23} q_{33} z + q_{13} v_{31} q_{11} x \\ + q_{13} v_{31} q_{12} y + q_{13}^2 v_{31} z \\ + q_{13} v_{32} q_{21} x + q_{13} v_{32} q_{22} y \\ + q_{13} v_{32} q_{23} z + q_{13} v_{33} q_{31} x \\ + q_{13} v_{33} q_{32} y + q_{13} v_{33} q_{33} z$$

$$H_2 = q_{21} v_{11} q_{11} x + q_{12} v_{11} q_{21} y + q_{21} v_{11} q_{13} z \\ + q_{21}^2 v_{12} x + q_{21} v_{12} q_{22} y \\ + q_{21} q_{23} v_{12} z + q_{21} v_{13} q_{31} x \\ + q_{21} v_{13} q_{32} y + q_{21} v_{13} q_{33} z \\ + q_{22} v_{21} q_{11} x + q_{22} v_{21} q_{12} y \\ + q_{22} v_{21} q_{13} z + q_{22} v_{22} q_{21} x \\ + q_{22}^2 v_{22} y + q_{22} v_{22} q_{23} z \\ + q_{22} v_{23} q_{31} x + q_{22} v_{23} q_{32} y \\ + q_{22} v_{23} q_{33} z + q_{23} v_{31} q_{11} x \\ + q_{23} v_{31} q_{12} y + q_{23} v_{31} q_{13} z \\ + q_{23} v_{32} q_{21} x + q_{23} v_{32} q_{22} y \\ + q_{23}^2 v_{32} z + q_{23} v_{33} q_{31} x \\ + q_{23} v_{33} q_{32} y + q_{23} v_{33} q_{33} z$$

$$H_3 = q_{31} v_{11} q_{11} x + q_{12} v_{11} q_{31} y + q_{31} v_{11} q_{13} z \\ + q_{21} v_{12} q_{21} x + q_{31} v_{12} q_{22} y \\ + q_{31} q_{23} v_{12} z + q_{31}^2 v_{13} x \\ + q_{31} v_{13} q_{32} y + q_{31} v_{13} q_{33} z \\ + q_{32} v_{21} q_{11} x + q_{32} v_{21} q_{12} y \\ + q_{32} v_{21} q_{13} z + q_{32} v_{22} q_{21} x \\ + q_{32} v_{22} q_{22} y + q_{32} v_{22} q_{23} z \\ + q_{32} v_{23} q_{31} x + q_{32}^2 v_{23} y \\ + q_{32} v_{23} q_{33} z + q_{33} v_{31} q_{11} x \\ + q_{33} v_{31} q_{12} y + q_{33} v_{31} q_{13} z \\ + q_{33} v_{32} q_{21} x + q_{33} v_{32} q_{22} y \\ + q_{33} v_{32} q_{23} z + q_{33} v_{33} q_{31} x \\ + q_{33} v_{33} q_{32} y + q_{33}^2 v_{33} z$$

$$q_{11} v_{11} = q_{11}^2 v_{11} + q_{21} q_{11} v_{12} + q_{11} q_{31} v_{13} \\ + q_{12} q_{11} v_{21} + q_{21} q_{12} v_{22} \\ + q_{12} q_{31} v_{23} + q_{13} q_{11} v_{31} \\ + q_{13} q_{21} v_{32} + q_{13} q_{31} v_{33}$$

$$\begin{aligned}
 q_{11}v_{12} + q_{12} &= q_{11}q_{12}v_{11} + q_{11}q_{22}v_{12} \\
 &+ q_{11}q_{32}v_{13} + q_{12}^2v_{21} \\
 &+ q_{12}q_{22}v_{22} + q_{12}q_{32}v_{23} \\
 &+ q_{13}q_{12}v_{31} + q_{13}q_{22}v_{32} \\
 &+ q_{13}q_{32}v_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{13} + q_{11}v_{13} &= q_{11}q_{13}v_{11} + q_{11}q_{23}v_{12} \\
 &+ q_{11}q_{33}v_{13} + q_{12}q_{13}v_{21} \\
 &+ q_{12}q_{23}v_{22} + q_{12}q_{33}v_{23} \\
 &+ q_{13}^2v_{31} + q_{13}q_{23}v_{32} \\
 &+ q_{13}q_{33}v_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{21} + q_{22}v_{21} &= q_{21}q_{11}v_{11} + q_{21}^2v_{12} + q_{21}q_{31}v_{13} \\
 &+ q_{22}q_{11}v_{21} + q_{22}q_{21}v_{22} \\
 &+ q_{22}q_{31}v_{23} + q_{23}q_{11}v_{31} \\
 &+ q_{23}q_{21}v_{32} + q_{23}q_{31}v_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{22}v_{22} &= q_{21}q_{12}v_{11} + q_{21}q_{22}v_{12} + q_{21}q_{32}v_{13} \\
 &+ q_{12}q_{22}v_{21} + q_{22}^2v_{22} \\
 &+ q_{22}q_{32}v_{23} + q_{23}q_{12}v_{31} \\
 &+ q_{23}q_{22}v_{32} + q_{23}q_{32}v_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{22}v_{23} + q_{23} &= q_{21}q_{13}v_{11} + q_{21}q_{23}v_{12} \\
 &+ q_{21}q_{33}v_{13} + q_{22}q_{13}v_{21} \\
 &+ q_{22}q_{23}v_{22} + q_{22}q_{33}v_{23} \\
 &+ q_{23}q_{13}v_{31} + q_{23}^2v_{32} \\
 &+ q_{23}q_{33}v_{33}
 \end{aligned}$$

Such that

$$v_{11} = \frac{(q_{21}q_{11}v_{12} + q_{11}q_{31}v_{13} + q_{12}q_{11}v_{21} + q_{21}q_{12}v_{22} + q_{12}q_{31}v_{23} + q_{13}q_{11}v_{31} + q_{13}q_{21}v_{32} + q_{13}q_{31}v_{33})}{q_{11}(1 - q_{11})}$$

$$v_{12} = \frac{q_{11}q_{12}v_{11} + q_{11}q_{32}v_{13} + q_{12}^2v_{21} + q_{12}q_{22}v_{22} + q_{12}q_{32}v_{23} + q_{13}q_{12}v_{31} + q_{13}q_{22}v_{32} + q_{13}q_{32}v_{33} - q_{12}}{q_{11} - q_{11}q_{22}}$$

$$v_{13} = \frac{q_{11}q_{13}v_{11} + q_{11}q_{23}v_{12} + q_{12}q_{13}v_{21} + q_{12}q_{23}v_{22} + q_{12}q_{33}v_{23} + q_{13}^2v_{31} + q_{13}q_{23}v_{32} + q_{13}q_{33}v_{33} - q_{13}}{q_{11} - q_{11}q_{33}}$$

$$v_{21} = \frac{q_{21}q_{11}v_{11} + q_{21}^2v_{12} + q_{21}q_{31}v_{13} + q_{22}q_{21}v_{22} + q_{22}q_{31}v_{23} + q_{23}q_{11}v_{31} + q_{23}q_{21}v_{32} + q_{23}q_{31}v_{33} - q_{21}}{q_{22}(1 - q_{11})}$$

$$v_{22} = \frac{q_{21}q_{12}v_{11} + q_{21}q_{22}v_{12} + q_{21}q_{32}v_{13} + q_{12}q_{22}v_{21} + q_{22}q_{32}v_{23} + q_{23}q_{12}v_{31} + q_{23}q_{22}v_{32} + q_{23}q_{32}v_{33}}{q_{22} - q_{22}^2}$$

$$\begin{aligned}
 q_{31} + q_{33}v_{31} &= q_{31}q_{11}v_{11} + q_{31}q_{21}v_{12} + q_{31}^2v_{13} \\
 &+ q_{32}q_{11}v_{21} + q_{32}q_{21}v_{22} \\
 &+ q_{32}q_{31}v_{23} + q_{33}q_{11}v_{31} \\
 &+ q_{33}q_{21}v_{32} + q_{33}q_{31}v_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{33}v_{32} + q_{32} &= q_{31}q_{12}v_{11} + q_{31}q_{22}v_{12} \\
 &+ q_{31}q_{32}v_{13} + q_{32}q_{12}v_{21} \\
 &+ q_{32}q_{22}v_{22} + q_{32}^2v_{23} \\
 &+ q_{33}q_{12}v_{31} + q_{33}q_{22}v_{32} \\
 &+ q_{33}q_{32}v_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{33}v_{33} &= q_{31}q_{13}v_{11} + q_{31}q_{23}v_{12} + q_{31}q_{33}v_{13} \\
 &+ q_{32}q_{13}v_{21} + q_{32}q_{23}v_{22} \\
 &+ q_{32}q_{33}v_{23} + q_{33}q_{13}v_{31} \\
 &+ q_{33}q_{23}v_{32} + q_{33}^2v_{33}
 \end{aligned}$$

It is simple to show that matrix V equals:

$$\begin{bmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{bmatrix}$$

Conversely

Suppose that there is a matrix V equal to

$$\begin{bmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{bmatrix}$$

$$v_{23} = \frac{q_{21}q_{13}v_{11} + q_{21}q_{23}v_{12} + q_{21}q_{33}v_{13} + q_{22}q_{13}v_{21} + q_{22}q_{23}v_{22} + q_{23}q_{13}v_{31} + q_{23}^2v_{32} + q_{23}q_{33}v_{33} - q_{23}}{q_{22} - q_{22}q_{33}}$$

$$v_{31} = \frac{q_{31}q_{11}v_{11} + q_{31}q_{21}v_{12} + q_{31}^2v_{13} + q_{32}q_{11}v_{21} + q_{32}q_{21}v_{22} + q_{32}q_{31}v_{23} + q_{33}q_{21}v_{32} + q_{33}q_{31}v_{33} - q_{31}}{q_{33}(1 - q_{11})}$$

$$v_{32} = \frac{q_{31}q_{12}v_{11} + q_{31}q_{22}v_{12} + q_{31}q_{32}v_{13} + q_{32}q_{12}v_{21} + q_{32}q_{22}v_{22} + q_{32}^2v_{23} + q_{33}q_{12}v_{31} + q_{33}q_{32}v_{33} - q_{32}}{q_{33}(1 - q_{22})}$$

$$v_{33} = \frac{q_{31}q_{13}v_{11} + q_{31}q_{23}v_{12} + q_{31}q_{33}v_{13} + q_{32}q_{13}v_{21} + q_{32}q_{23}v_{22} + q_{32}q_{33}v_{23} + q_{33}q_{13}v_{31} + q_{33}q_{23}v_{32}}{q_{33}(1 - q_{33})}$$

To show that the system (4) is J -semi-homogeneous, that is

$$F(VX) = J(Q)VF(X)$$

By putting the value of the matrix V in (2), we have

$$F \left(\begin{pmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} \right) = \begin{pmatrix} q_{11} & q_{12} & q_{13} \\ q_{21} & q_{22} & q_{23} \\ q_{31} & q_{32} & q_{33} \end{pmatrix} \begin{pmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{pmatrix} \begin{pmatrix} f(x) \\ g(y) \\ h(z) \end{pmatrix}$$

Therefore,

$$q_{11} \frac{(q_{21}q_{11}v_{12} + q_{11}q_{31}v_{13} + q_{12}q_{11}v_{21} + q_{21}q_{12}v_{22} + q_{12}q_{31}v_{23} + q_{13}q_{11}v_{31} + q_{13}q_{21}v_{32} + q_{13}q_{31}v_{33})}{q_{11}(1 - q_{11})} =$$

$$q_{11}^2 \frac{(q_{21}q_{11}v_{12} + q_{11}q_{31}v_{13} + q_{12}q_{11}v_{21} + q_{21}q_{12}v_{22} + q_{12}q_{31}v_{23} + q_{13}q_{11}v_{31} + q_{13}q_{21}v_{32} + q_{13}q_{31}v_{33})}{q_{11}(1 - q_{11})}$$

$$\begin{aligned} + q_{21}q_{11}v_{12} + q_{11}q_{31}v_{13} + q_{12}q_{11}v_{21} &= (q_{21}q_{11}v_{12} + q_{11}q_{31}v_{13} + q_{12}q_{11}v_{21} \\ &+ q_{21}q_{12}v_{22} + q_{12}q_{31}v_{23} &+ q_{21}q_{12}v_{22} + q_{12}q_{31}v_{23} \\ &+ q_{13}q_{11}v_{31} + q_{13}q_{21}v_{32} &+ q_{13}q_{11}v_{31} + q_{13}q_{21}v_{32} \\ &+ q_{13}q_{31}v_{33} &+ q_{13}q_{31}v_{33}) \end{aligned}$$

$$(q_{21}q_{11}v_{12} + q_{11}q_{31}v_{13} + q_{12}q_{11}v_{21} + q_{21}q_{12}v_{22} \quad \text{and}$$

$$\begin{aligned} &+ q_{12}q_{31}v_{23} + q_{13}q_{11}v_{31} \\ &+ q_{13}q_{21}v_{32} + q_{13}q_{31}v_{33}) \end{aligned}$$

$$q_{11} \frac{q_{11}q_{12}v_{11} + q_{11}q_{32}v_{13} + q_{12}^2v_{21} + q_{12}q_{22}v_{22} + q_{12}q_{32}v_{23} + q_{13}q_{12}v_{31} + q_{13}q_{22}v_{32} + q_{13}q_{32}v_{33} - q_{12}}{q_{11} - q_{11}q_{22}} + q_{12}$$

$$= q_{11}q_{12}v_{11} + q_{11}q_{22} \frac{q_{11}q_{12}v_{11} + q_{11}q_{32}v_{13} + q_{12}^2v_{21} + q_{12}q_{22}v_{22} + q_{12}q_{32}v_{23} + q_{13}q_{12}v_{31} + q_{13}q_{22}v_{32} + q_{13}q_{32}v_{33} - q_{12}}{q_{11}(1 - q_{22})}$$

$$\begin{aligned} + q_{11}q_{32}v_{13} + q_{12}^2v_{21} + q_{12}q_{22}v_{22} + q_{12}q_{32}v_{23} + & q_{11}q_{12}v_{11} + q_{11}q_{32}v_{13} + q_{12}^2v_{21} + q_{12}q_{22}v_{22} \\ q_{13}q_{12}v_{31} + q_{13}q_{22}v_{32} + q_{13}q_{32}v_{33} & + q_{12}q_{32}v_{23} + q_{13}q_{12}v_{31} \end{aligned}$$

$$\begin{aligned} q_{11}q_{12}v_{11} + q_{11}q_{32}v_{13} + q_{12}^2v_{21} + q_{12}q_{22}v_{22} &+ q_{13}q_{22}v_{32} + q_{13}q_{32}v_{33} \\ + q_{12}q_{32}v_{23} + q_{13}q_{12}v_{31} &- q_{12}q_{22} \end{aligned}$$

$$+ q_{13}q_{22}v_{32} + q_{13}q_{32}v_{33} \quad \text{and}$$

$$- q_{12}q_{22} =$$

$$q_{11} \frac{q_{11}q_{13}v_{11}+q_{11}q_{23}v_{12}+q_{12}q_{13}v_{21}+q_{12}q_{23}v_{22}+q_{12}q_{33}v_{23}+q_{13}^2v_{31}+q_{13}q_{23}v_{32}+q_{13}q_{33}v_{33}-q_{13}}{q_{11}-q_{11}q_{33}} + q_{13}$$

$$= q_{11}q_{13}v_{11} + q_{11}q_{23}v_{12} +$$

$$q_{11}q_{33} \frac{q_{11}q_{13}v_{11}+q_{11}q_{23}v_{12}+q_{12}q_{13}v_{21}+q_{12}q_{23}v_{22}+q_{12}q_{33}v_{23}+q_{13}^2v_{31}+q_{13}q_{23}v_{32}+q_{13}q_{33}v_{33}-q_{13}}{q_{11}-q_{11}q_{33}}$$

$$\begin{aligned} q_{11}q_{13}v_{11} + q_{11}q_{23}v_{12} + q_{12}q_{13}v_{21} + q_{12}q_{23}v_{22} & \quad q_{11}q_{13}v_{11} + q_{11}q_{23}v_{12} + q_{12}q_{13}v_{21} + q_{12}q_{23}v_{22} \\ & \quad + q_{12}q_{33}v_{23} + q_{13}^2v_{31} & \quad + q_{12}q_{33}v_{23} + q_{13}^2v_{31} \\ & \quad + q_{13}q_{23}v_{32} + q_{13}q_{33}v_{33} & \quad + q_{13}q_{23}v_{32} + q_{13}q_{33}v_{33} \\ & \quad - q_{13}q_{33} = & \quad - q_{13}q_{33} \end{aligned}$$

And

$$q_{21} + q_{22} \frac{q_{21}q_{11}v_{11}+q_{21}^2v_{12}+q_{21}q_{31}v_{13}+q_{22}q_{21}v_{22}+q_{22}q_{31}v_{23}+q_{23}q_{11}v_{31}+q_{23}q_{21}v_{32}+q_{23}q_{31}v_{33}-q_{21}}{q_{22}(1-q_{11})}$$

$$= q_{21}q_{11}v_{11} + q_{21}^2v_{12} + q_{21}q_{31}v_{13}$$

$$+ q_{22}q_{11} \frac{q_{21}q_{11}v_{11} + q_{21}^2v_{12} + q_{21}q_{31}v_{13} + q_{22}q_{21}v_{22} + q_{22}q_{31}v_{23} + q_{23}q_{11}v_{31} + q_{23}q_{21}v_{32} + q_{23}q_{31}v_{33} - q_{21}}{q_{22}(1 - q_{11})}$$

$$+ q_{22}q_{21}v_{22} +$$

$$\begin{aligned} q_{22}q_{31}v_{23} + q_{23}q_{11}v_{31} + q_{23}q_{21}v_{32} + q_{23}q_{31}v_{33} & \quad q_{21}q_{11}v_{11} + q_{21}^2v_{12} + q_{21}q_{31}v_{13} + q_{22}q_{21}v_{22} \\ & \quad + q_{22}q_{31}v_{23} + q_{23}q_{11}v_{31} \\ q_{21}q_{11}v_{11} + q_{21}^2v_{12} + q_{21}q_{31}v_{13} + q_{22}q_{21}v_{22} & \quad + q_{23}q_{21}v_{32} + q_{23}q_{31}v_{33} \\ & \quad + q_{22}q_{31}v_{23} + q_{23}q_{11}v_{31} & \quad - q_{11}q_{21} \\ & \quad + q_{23}q_{21}v_{32} + q_{23}q_{31}v_{33} \\ & \quad - q_{11}q_{21} = \end{aligned} \quad \text{and}$$

$$q_{22} \frac{q_{21}q_{12}v_{11}+q_{21}q_{22}v_{12}+q_{21}q_{32}v_{13}+q_{12}q_{22}v_{21}+q_{22}q_{32}v_{23}+q_{23}q_{12}v_{31}+q_{23}q_{22}v_{32}+q_{23}q_{32}v_{33}}{q_{22}(1-q_{22})} = q_{21}q_{12}v_{11} +$$

$$q_{21}q_{22}v_{12} + q_{21}q_{32}v_{13} + q_{12}q_{22}v_{21} +$$

$$q_{22}^2 \frac{q_{21}q_{12}v_{11}+q_{21}q_{22}v_{12}+q_{21}q_{32}v_{13}+q_{12}q_{22}v_{21}+q_{22}q_{32}v_{23}+q_{23}q_{12}v_{31}+q_{23}q_{22}v_{32}+q_{23}q_{32}v_{33}}{q_{22}(1-q_{22})} + q_{22}q_{32}v_{23} +$$

$$q_{23}q_{12}v_{31} + q_{23}q_{22}v_{32} + q_{23}q_{32}v_{33}$$

$$q_{21}q_{12}v_{11} + q_{21}q_{22}v_{12} + q_{21}q_{32}v_{13}$$

$$+ q_{12}q_{22}v_{21} + q_{22}q_{32}v_{23}$$

$$+ q_{23}q_{12}v_{31} + q_{23}q_{22}v_{32}$$

$$+ q_{23}q_{32}v_{33} =$$

$$q_{21}q_{12}v_{11} + q_{21}q_{22}v_{12} + q_{21}q_{32}v_{13}$$

$$+ q_{12}q_{22}v_{21} + q_{22}q_{32}v_{23}$$

$$+ q_{23}q_{12}v_{31} + q_{23}q_{22}v_{32}$$

$$+ q_{23}q_{32}v_{33}$$

and

$$q_{22} \frac{q_{21}q_{13}v_{11}+q_{21}q_{23}v_{12}+q_{21}q_{33}v_{13}+q_{22}q_{13}v_{21}+q_{22}q_{23}v_{22}+q_{23}q_{13}v_{31}+q_{23}^2v_{32}+q_{23}q_{33}v_{33}-q_{23}}{q_{22}-q_{22}q_{33}} + q_{23} = q_{21}q_{13}v_{11} +$$
$$q_{21}q_{23}v_{12} + q_{21}q_{33}v_{13} + q_{22}q_{13}v_{21} + q_{22}q_{23}v_{22} +$$
$$q_{22}q_{33} \frac{q_{21}q_{13}v_{11}+q_{21}q_{23}v_{12}+q_{21}q_{33}v_{13}+q_{22}q_{13}v_{21}+q_{22}q_{23}v_{22}+q_{23}q_{13}v_{31}+q_{23}^2v_{32}+q_{23}q_{33}v_{33}-q_{23}}{q_{22}-q_{22}q_{33}} + q_{23}q_{13}v_{31} +$$
$$q_{23}^2v_{32} + q_{23}q_{33}v_{33}$$
$$q_{21}q_{13}v_{11} + q_{21}q_{23}v_{12} + q_{21}q_{33}v_{13} + q_{22}q_{13}v_{21} \quad q_{21}q_{13}v_{11} + q_{21}q_{23}v_{12} + q_{21}q_{33}v_{13} + q_{22}q_{13}v_{21}$$
$$+ q_{22}q_{23}v_{22} + q_{23}q_{13}v_{31} \quad + q_{22}q_{23}v_{22} + q_{23}q_{13}v_{31}$$
$$+ q_{23}^2v_{32} + q_{23}q_{33}v_{33} - q_{23}q_{33} = \quad + q_{23}^2v_{32} + q_{23}q_{33}v_{33} - q_{23}q_{33}$$

and

$$q_{31} + q_{33} \frac{q_{31}q_{11}v_{11}+q_{31}q_{21}v_{12}+q_{31}^2v_{13}+q_{32}q_{11}v_{21}+q_{32}q_{21}v_{22}+q_{32}q_{31}v_{23}+q_{33}q_{21}v_{32}+q_{33}q_{31}v_{33}-q_{31}}{q_{33}(1-q_{11})} = q_{31}q_{11}v_{11} +$$
$$q_{31}q_{21}v_{12} + q_{31}^2v_{13} + q_{32}q_{11}v_{21} + q_{32}q_{21}v_{22} + q_{32}q_{31}v_{23} +$$
$$q_{33}q_{11} \frac{q_{31}q_{11}v_{11}+q_{31}q_{21}v_{12}+q_{31}^2v_{13}+q_{32}q_{11}v_{21}+q_{32}q_{21}v_{22}+q_{32}q_{31}v_{23}+q_{33}q_{21}v_{32}+q_{33}q_{31}v_{33}-q_{31}}{q_{33}(1-q_{11})}$$
$$q_{31}q_{11}v_{11} + q_{31}q_{21}v_{12} + q_{31}^2v_{13} + q_{32}q_{11}v_{21} \quad q_{31}q_{11}v_{11} + q_{31}q_{21}v_{12} + q_{31}^2v_{13} + q_{32}q_{11}v_{21}$$
$$+ q_{32}q_{21}v_{22} + q_{32}q_{31}v_{23} \quad + q_{32}q_{21}v_{22} + q_{32}q_{31}v_{23}$$
$$+ q_{33}q_{21}v_{32} + q_{33}q_{31}v_{33} \quad + q_{33}q_{21}v_{32} + q_{33}q_{31}v_{33}$$
$$- q_{31}q_{11} = \quad - q_{31}q_{11}$$

and

$$q_{33} \frac{q_{31}q_{12}v_{11}+q_{31}q_{22}v_{12}+q_{31}q_{32}v_{13}+q_{32}q_{12}v_{21}+q_{32}q_{22}v_{22}+q_{32}^2v_{23}+q_{33}q_{12}v_{31}+q_{33}q_{32}v_{33}-q_{32}}{q_{33}(1-q_{22})} + q_{32} = q_{31}q_{12}v_{11} +$$
$$q_{31}q_{22}v_{12} + q_{31}q_{32}v_{13} + q_{32}q_{12}v_{21} + q_{32}q_{22}v_{22} + q_{32}^2v_{23} + q_{33}q_{12}v_{31} +$$
$$q_{33}q_{22} \frac{q_{31}q_{12}v_{11}+q_{31}q_{22}v_{12}+q_{31}q_{32}v_{13}+q_{32}q_{12}v_{21}+q_{32}q_{22}v_{22}+q_{32}^2v_{23}+q_{33}q_{12}v_{31}+q_{33}q_{32}v_{33}-q_{32}}{q_{33}(1-q_{22})} + q_{33}q_{32}v_{33}$$
$$q_{31}q_{12}v_{11} + q_{31}q_{22}v_{12} + q_{31}q_{32}v_{13} + q_{32}q_{12}v_{21} \quad q_{31}q_{12}v_{11} + q_{31}q_{22}v_{12} + q_{31}q_{32}v_{13} +$$
$$+ q_{32}q_{22}v_{22} + q_{32}^2v_{23} \quad q_{32}q_{12}v_{21} + q_{32}q_{22}v_{22} + q_{32}^2v_{23} + q_{33}q_{12}v_{31} +$$
$$+ q_{33}q_{12}v_{31} + q_{33}q_{32}v_{33} \quad q_{33}q_{32}v_{33} - q_{32}q_{22}$$
$$- q_{32}q_{22} = \quad$$

and

$$q_{33} \frac{q_{31}q_{13}v_{11}+q_{31}q_{23}v_{12}+q_{31}q_{33}v_{13}+q_{32}q_{13}v_{21}+q_{32}q_{23}v_{22}+q_{32}q_{33}v_{23}+q_{33}q_{13}v_{31}+q_{33}q_{23}v_{32}-q_{33}}{q_{33}(1-q_{33})} + q_{31}q_{33}v_{13} +$$
$$q_{32}q_{13}v_{21} + q_{32}q_{23}v_{22} + q_{32}q_{33}v_{23} +$$
$$q_{33}q_{13}v_{31} + q_{33}q_{23}v_{32} =$$
$$q_{31}q_{13}v_{11} + q_{31}q_{23}v_{12} + q_{31}q_{33}v_{13} +$$
$$q_{32}q_{13}v_{21} + q_{32}q_{23}v_{22} + q_{32}q_{33}v_{23} +$$
$$q_{33}q_{13}v_{31} + q_{33}q_{23}v_{32} +$$
$$q_{33}^2 \frac{q_{31}q_{13}v_{11}+q_{31}q_{23}v_{12}+q_{31}q_{33}v_{13}+q_{32}q_{13}v_{21}+q_{32}q_{23}v_{22}+q_{32}q_{33}v_{23}+q_{33}q_{13}v_{31}+q_{33}q_{23}v_{32}-q_{33}}{q_{33}(1-q_{33})}$$

$$\begin{aligned}
 & q_{31}q_{13}v_{11} + q_{31}q_{23}v_{12} + q_{31}q_{33}v_{13} + q_{32}q_{13}v_{21} \\
 & \quad + q_{32}q_{23}v_{22} + q_{32}q_{33}v_{23} \\
 & \quad + q_{33}q_{13}v_{31} + q_{33}q_{23}v_{32}
 \end{aligned}$$

That is, the left hand is equal to the right hand, and the system (4) is J -semi-homogenous.

$$\left[\begin{array}{ccc}
 \frac{q_{11}v_{12} + v_{12} - Jv_{12}q_{22} - Jv_{13}q_{32}}{Jq_{12}} & \frac{q_{11}v_{13} + q_{13} - Jv_{11}q_{13} - Jv_{13}q_{33}}{Jq_{23}} & \frac{q_{11}v_{11} - Jv_{11}q_{11} - Jv_{12}q_{21}}{Jq_{31}} \\
 \frac{q_{22}v_{22} - Jv_{22}q_{22} - Jv_{22}q_{22}}{Jq_{12}} & \frac{q_{22}v_{23} + q_{23} - Jv_{21}q_{13} - Jv_{23}q_{33}}{Jq_{23}} & \frac{q_{21} + q_{22}v_{21} - Jv_{21}q_{11} - Jv_{22}q_{21}}{Jq_{31}} \\
 \frac{q_{33}v_{33} - Jv_{32}q_{23} - Jv_{33}q_{33}}{Jq_{13}} & \frac{q_{32} + q_{33}v_{31} - Jv_{31}q_{11} - Jv_{33}q_{31}}{Jq_{21}} & \frac{q_{32} + q_{33}v_{32} - Jv_{31}q_{12} - Jv_{32}q_{22}}{Jq_{32}}
 \end{array} \right]$$

Proof : Since F is δ -semi-homogeneous, there exists a non-zero matrix (for illustration, suppose V) that allows Eq 3 to be held with $k=1$.

$$F(VX) = \det J(Q)VF(X)$$

$$\begin{aligned}
 & F \left(\begin{pmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} \right) \\
 & = \det J(Q) \begin{pmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{pmatrix} \begin{pmatrix} f(x) \\ g(y) \\ h(z) \end{pmatrix}
 \end{aligned}$$

Theorem 2:

The homogeneous system of differential equation is δ -semi homogeneous if and only if the matrix V equal to:

$$\begin{aligned}
 & \begin{pmatrix} f(v_{11}x + v_{12}y + v_{13}z) \\ g(v_{21}x + v_{22}y + v_{23}z) \\ h(v_{31}x + v_{32}y + v_{33}z) \end{pmatrix} \\
 & = \begin{pmatrix} q_{11} & q_{12} & q_{13} \\ q_{21} & q_{22} & q_{23} \\ q_{31} & q_{32} & q_{33} \end{pmatrix} \begin{pmatrix} v_{11}f(x) + v_{12}g(y) + v_{13}h(z) \\ v_{21}f(x) + v_{22}g(y) + v_{23}h(z) \\ v_{31}f(x) + v_{32}g(y) + v_{33}h(z) \end{pmatrix}
 \end{aligned}$$

$$\begin{aligned}
 \det J(Q) &= q_{11}(q_{22}q_{33} - q_{23}q_{32}) \\
 & \quad - q_{12}(q_{21}q_{33} - q_{23}q_{31}) \\
 & \quad + q_{13}(q_{21}q_{32} - q_{22}q_{31})
 \end{aligned}$$

The left hand is

$$\begin{pmatrix} q_{11}v_{11}x + (q_{11}v_{12} + q_{12})y + (q_{11}v_{13} + q_{13})z \\ (q_{22}v_{21} + q_{21})x + q_{22}v_{22}y + (q_{22}v_{23} + q_{23})z \\ (q_{31} + q_{33}v_{31})x + (q_{32} + q_{33}v_{32})y + q_{33}v_{33}z \end{pmatrix}$$

The right hand is

$$\det J(Q) \begin{pmatrix} (v_{11}q_{11} + v_{12}q_{21} + v_{13}q_{31})x + (v_{11}q_{12} + v_{12}q_{22} + v_{13}q_{32})y + (v_{11}q_{13} + v_{12}q_{23} + v_{13}q_{33})z \\ (v_{21}q_{11} + v_{22}q_{21} + v_{23}q_{31})x + (v_{21}q_{12} + v_{22}q_{22} + v_{23}q_{32})y + (v_{21}q_{13} + v_{22}q_{23} + v_{23}q_{33})z \\ (v_{31}q_{11} + v_{32}q_{21} + v_{33}q_{31})x + (v_{31}q_{12} + v_{32}q_{22} + v_{33}q_{32})y + (v_{31}q_{13} + v_{32}q_{23} + v_{33}q_{33})z \end{pmatrix}$$

$$q_{11}v_{11} = J[v_{11}q_{11} + v_{12}q_{21} + v_{13}q_{31}]$$

$$q_{11}v_{12} + q_{12} = J[v_{11}q_{12} + v_{12}q_{22} + v_{13}q_{32}]$$

$$q_{11}v_{13} + q_{13} = J[v_{11}q_{13} + v_{12}q_{23} + v_{13}q_{33}]$$

$$q_{22}v_{21} + q_{21} = J[v_{21}q_{11} + v_{22}q_{21} + v_{23}q_{31}]$$

$$q_{22}v_{22} = J[v_{21}q_{12} + v_{22}q_{22} + v_{23}q_{32}]$$

$$q_{22}v_{23} + q_{23} = J[v_{21}q_{13} + v_{22}q_{23} + v_{23}q_{33}]$$

$$q_{31} + q_{33}v_{31} = J[v_{31}q_{11} + v_{32}q_{21} + v_{33}q_{31}]$$

$$q_{32} + q_{33}v_{32} = J[v_{31}q_{12} + v_{32}q_{22} + v_{33}q_{32}]$$

$$q_{33}v_{33} = J[v_{31}q_{13} + v_{32}q_{23} + v_{33}q_{33}]$$

Matrix V is easily demonstrated to equal:

$$\left[\begin{array}{ccc} \frac{q_{11}v_{12} + v_{12} - Jv_{12}q_{22} - Jv_{13}q_{32}}{Jq_{12}} & \frac{q_{11}v_{13} + q_{13} - Jv_{11}q_{13} - Jv_{13}q_{33}}{Jq_{23}} & \frac{q_{11}v_{11} - Jv_{11}q_{11} - Jv_{12}q_{21}}{Jq_{31}} \\ \frac{q_{22}v_{22} - Jv_{22}q_{22} - Jv_{22}q_{22}}{Jq_{12}} & \frac{q_{22}v_{23} + q_{23} - Jv_{21}q_{13} - Jv_{23}q_{33}}{Jq_{23}} & \frac{q_{21} + q_{22}v_{21} - Jv_{21}q_{11} - Jv_{22}q_{21}}{Jq_{31}} \\ \frac{q_{33}v_{33} - Jv_{32}q_{23} - Jv_{33}q_{33}}{Jq_{13}} & \frac{q_{32} + q_{33}v_{31} - Jv_{31}q_{11} - Jv_{33}q_{31}}{Jq_{21}} & \frac{q_{32} + q_{33}v_{32} - Jv_{31}q_{12} - Jv_{32}q_{22}}{Jq_{32}} \end{array} \right]$$

Suppose that there is a matrix V equal to

Conversely

$$\left[\begin{array}{ccc} \frac{q_{11}v_{12} + v_{12} - Jv_{12}q_{22} - Jv_{13}q_{32}}{Jq_{12}} & \frac{q_{11}v_{13} + q_{13} - Jv_{11}q_{13} - Jv_{13}q_{33}}{Jq_{23}} & \frac{q_{11}v_{11} - Jv_{11}q_{11} - Jv_{12}q_{21}}{Jq_{31}} \\ \frac{q_{22}v_{22} - Jv_{22}q_{22} - Jv_{22}q_{22}}{Jq_{12}} & \frac{q_{22}v_{23} + q_{23} - Jv_{21}q_{13} - Jv_{23}q_{33}}{Jq_{23}} & \frac{q_{21} + q_{22}v_{21} - Jv_{21}q_{11} - Jv_{22}q_{21}}{Jq_{31}} \\ \frac{q_{33}v_{33} - Jv_{32}q_{23} - Jv_{33}q_{33}}{Jq_{13}} & \frac{q_{32} + q_{33}v_{31} - Jv_{31}q_{11} - Jv_{33}q_{31}}{Jq_{21}} & \frac{q_{32} + q_{33}v_{32} - Jv_{31}q_{12} - Jv_{32}q_{22}}{Jq_{32}} \end{array} \right]$$

To show that the system (4) is δ -semi-homogeneous, that is

$$F\left(V\begin{pmatrix} x \\ y \\ z \end{pmatrix}\right) = \det J(Q)V\begin{pmatrix} f(x) \\ g(y) \\ h(z) \end{pmatrix}$$

By putting the value of the matrix V in (3), we have

$$\begin{aligned} & F\left(\begin{pmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{pmatrix}\begin{pmatrix} x \\ y \\ z \end{pmatrix}\right) \\ &= \begin{pmatrix} q_{11} & q_{12} & q_{13} \\ q_{21} & q_{22} & q_{23} \\ q_{31} & q_{32} & q_{33} \end{pmatrix}\begin{pmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{pmatrix}\begin{pmatrix} f(x) \\ g(y) \\ h(z) \end{pmatrix} \end{aligned}$$

Therefore,

$$q_{11}v_{11} = J\left[v_{11}q_{11} + v_{12}q_{21} + q_{31}\frac{q_{11}v_{11} - Jv_{11}q_{11} - Jv_{12}q_{21}}{Jq_{31}}\right]$$

$$v_{11}q_{11} = v_{11}q_{11}$$

$$\begin{aligned} & q_{11}v_{12} + q_{12} \\ &= J\left[q_{12}\frac{q_{11}v_{12} + q_{12} - Jv_{12}q_{22} - Jv_{13}q_{32}}{Jq_{12}} + v_{12}q_{22} + v_{13}q_{32}\right] \end{aligned}$$

$$q_{11}v_{12} + q_{12} = q_{11}v_{12} + q_{12}$$

$$\begin{aligned} & q_{13} + q_{11}v_{13} \\ &= J\left[v_{11}q_{13} + q_{23}\frac{q_{11}v_{13} + q_{13} - Jv_{11}q_{13} - Jv_{13}q_{33}}{Jq_{23}} + v_{13}q_{33}\right] \end{aligned}$$

$$q_{11}v_{13} + q_{13} = q_{11}v_{13} + q_{13}$$

$$\begin{aligned} & q_{21} + q_{22}v_{21} \\ &= J\left[v_{21}q_{11} + v_{22}q_{21} + q_{31}\frac{q_{21} + q_{22}v_{21} - Jv_{21}q_{11} - Jv_{22}q_{21}}{Jq_{31}}\right] \end{aligned}$$

$$q_{21} + q_{22}v_{21} = q_{21} + q_{22}v_{21}$$

$$\begin{aligned} & q_{22}v_{22} = J\left[q_{12}\frac{q_{22}v_{22} - Jv_{22}q_{22} - Jv_{23}q_{32}}{Jq_{12}} + v_{22}q_{22} + v_{23}q_{32}\right] \end{aligned}$$

$$q_{22}v_{22} = q_{22}v_{22}$$

$$q_{22}v_{23} + q_{23}$$

$$= J \left[v_{21}q_{13} + q_{23} \frac{q_{22}v_{23} + q_{23} - Jv_{21}q_{13} - Jv_{23}q_{33}}{Jq_{23}} + v_{23}q_{33} \right]$$

$$q_{22}v_{23} + q_{23} = q_{22}v_{23} + q_{23}$$

$$q_{31} + q_{33}v_{31}$$

$$= J \left[v_{31}q_{11} + v_{33}q_{31} + q_{21} \frac{q_{31} + q_{33}v_{31} - Jv_{31}q_{11} - Jv_{33}q_{31}}{Jq_{21}} \right]$$

$$q_{31} + q_{33}v_{31} = q_{31} + q_{33}v_{31}$$

$$q_{32} + q_{33}v_{32}$$

$$= J \left[v_{31}q_{12} + v_{32}q_{22} + q_{32} \frac{q_{32} + q_{33}v_{32} - Jv_{31}q_{12} - Jv_{32}q_{22}}{Jq_{32}} \right]$$

$$q_{32} + q_{33}v_{32} = q_{32} + q_{33}v_{32}$$

$$q_{33}v_{33} = J \left[q_{13} \frac{q_{33}v_{33} - Jv_{32}q_{23} - Jv_{33}q_{33}}{Jq_{13}} + v_{32}q_{23} + v_{33}q_{33} \right]$$

$$q_{33}v_{33} = q_{33}v_{33}$$

That is, the left hand is equal to the right hand, and the system (1) is δ -semi-homogenous.

Corollary 1:

1- A homogeneous system of a differential equations is J -semi-homogenous, if the following is held:

$$q_{11}v_{11} = q_{11}^2v_{11} + q_{21}q_{11}v_{12} + q_{11}q_{31}v_{13} + q_{12}q_{11}v_{21} + q_{21}q_{12}v_{22} + q_{12}q_{31}v_{23} + q_{13}q_{11}v_{31} + q_{13}q_{21}v_{32} + q_{13}q_{31}v_{33}$$

$$q_{11}v_{12} + q_{12} = q_{11}q_{12}v_{11} + q_{11}q_{22}v_{12} + q_{11}q_{32}v_{13} + q_{12}^2v_{21} + q_{12}q_{22}v_{22} + q_{12}q_{32}v_{23} + q_{13}q_{12}v_{31} + q_{13}q_{22}v_{32} + q_{13}q_{32}v_{33}$$

$$q_{13} + q_{11}v_{13} = q_{11}q_{13}v_{11} + q_{11}q_{23}v_{12} + q_{11}q_{33}v_{13} + q_{12}q_{13}v_{21} + q_{12}q_{23}v_{22} + q_{12}q_{33}v_{23} + q_{13}^2v_{31} + q_{13}q_{23}v_{32} + q_{13}q_{33}v_{33}$$

$$q_{21} + q_{22}v_{21} = q_{21}q_{11}v_{11} + q_{21}^2v_{12} + q_{21}q_{31}v_{13} + q_{22}q_{11}v_{21} + q_{22}q_{21}v_{22} + q_{22}q_{31}v_{23} + q_{23}q_{11}v_{31} + q_{23}q_{21}v_{32} + q_{23}q_{31}v_{33}$$

$$q_{22}v_{22} = q_{21}q_{12}v_{11} + q_{21}q_{22}v_{12} + q_{21}q_{32}v_{13} + q_{12}q_{22}v_{21} + q_{22}^2v_{22} + q_{22}q_{32}v_{23} + q_{23}q_{12}v_{31} + q_{23}q_{22}v_{32} + q_{23}q_{32}v_{33}$$

$$q_{22}v_{23} + q_{23} = q_{21}q_{13}v_{11} + q_{21}q_{23}v_{12} + q_{21}q_{33}v_{13} + q_{22}q_{13}v_{21} + q_{22}q_{23}v_{22} + q_{22}q_{33}v_{23} + q_{23}q_{13}v_{31} + q_{23}^2v_{32} + q_{23}q_{33}v_{33}$$

$$q_{31} + q_{33}v_{31} = q_{31}q_{11}v_{11} + q_{31}q_{21}v_{12} + q_{31}^2v_{13} + q_{32}q_{11}v_{21} + q_{32}q_{21}v_{22} + q_{32}q_{31}v_{23} + q_{33}q_{11}v_{31} + q_{33}q_{21}v_{32} + q_{33}q_{31}v_{33}$$

$$\begin{aligned}
 q_{33}v_{32} + q_{32} &= q_{31}q_{12}v_{11} + q_{31}q_{22}v_{12} \\
 &+ q_{31}q_{32}v_{13} + q_{32}q_{12}v_{21} \\
 &+ q_{32}q_{22}v_{22} + q_{32}^2v_{23} \\
 &+ q_{33}q_{12}v_{31} + q_{33}q_{22}v_{32} \\
 &+ q_{33}q_{32}v_{33}
 \end{aligned}$$

2- A homogeneous system of differential equations is δ -semi-homogenous if the following is held:

$$\begin{aligned}
 q_{11}v_{11} &= J[v_{11}q_{11} + v_{12}q_{21} + v_{13}q_{31}] \\
 q_{11}v_{12} + q_{12} &= J[v_{11}q_{12} + v_{12}q_{22} + v_{13}q_{32}] \\
 q_{11}v_{13} + q_{13} &= J[v_{11}q_{13} + v_{12}q_{23} + v_{13}q_{33}] \\
 q_{22}v_{21} + q_{21} &= J[v_{21}q_{11} + v_{22}q_{21} + v_{23}q_{31}] \\
 q_{22}v_{22} &= J[v_{21}q_{12} + v_{22}q_{22} + v_{23}q_{32}] \\
 q_{22}v_{23} + q_{23} &= J[v_{21}q_{13} + v_{22}q_{23} + v_{23}q_{33}] \\
 q_{31} + q_{33}v_{31} &= J[v_{31}q_{11} + v_{32}q_{21} + v_{33}q_{31}] \\
 q_{32} + q_{33}v_{32} &= J[v_{31}q_{12} + v_{32}q_{22} + v_{33}q_{32}] \\
 q_{33}v_{33} &= J[v_{31}q_{13} + v_{32}q_{23} + v_{33}q_{33}]
 \end{aligned}$$

Proof: Direct from Theorems (1) and (2).

Example 2:

1- Consider the system $F(X) = QX$ where $Q =$

$$\begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 0 \\ 2 & 0 & -1 \end{pmatrix}, \text{ there exists a matrix } V \text{ equal to } \begin{pmatrix} \frac{60}{82} & \frac{-26}{82} & \frac{10}{82} \\ \frac{-34}{82} & \frac{12}{82} & \frac{8}{82} \\ \frac{68}{82} & \frac{-24}{82} & \frac{-16}{82} \end{pmatrix}, \text{ then this system is } J\text{-semi-}$$

homogenous.

$$\begin{aligned}
 q_{33}v_{33} &= q_{31}q_{13}v_{11} + q_{31}q_{23}v_{12} + q_{31}q_{33}v_{13} \\
 &+ q_{32}q_{13}v_{21} + q_{32}q_{23}v_{22} \\
 &+ q_{32}q_{33}v_{23} + q_{33}q_{13}v_{31} \\
 &+ q_{33}q_{23}v_{32} + q_{33}^2v_{33}
 \end{aligned}$$

2- Consider the system $F(X) = QX$ where

$$Q = \begin{pmatrix} 2 & 1 & 0 \\ 0 & -1 & 1 \\ 0 & 0 & -1 \end{pmatrix} \text{ then there is a matrix } V \text{ equal to } \begin{pmatrix} 0 & \frac{-1}{4} & \frac{-1}{8} \\ 0 & 0 & -1 \\ 0 & 0 & 0 \end{pmatrix},$$

then this system is δ -semi-homogenous. To Justify that by using Corollary (2.5),

Solution:

1-

$$q_{11}v_{11} = 1 \left(\frac{60}{82} \right) = \frac{30}{41}$$

$$\begin{aligned}
 q_{11}^2v_{11} + q_{21}q_{11}v_{12} + q_{11}q_{31}v_{13} + q_{12}q_{11}v_{21} \\
 + q_{21}q_{12}v_{22} + q_{12}q_{31}v_{23} \\
 + q_{13}q_{11}v_{31} + q_{13}q_{21}v_{32} \\
 + q_{13}q_{31}v_{33} =
 \end{aligned}$$

$$\begin{aligned}
 \frac{60}{82} - \frac{26}{82} + 2 \left(\frac{10}{82} \right) - \frac{34}{82} + \frac{12}{82} + 2 \left(\frac{8}{82} \right) + \frac{68}{82} - \frac{24}{82} - \\
 2 \left(\frac{16}{82} \right) = \frac{30}{41}
 \end{aligned}$$

$$q_{11}v_{12} + q_{12} = -\frac{26}{82} + 1 = \frac{28}{41}$$

$$\begin{aligned}
 q_{11}q_{12}v_{11} + q_{11}q_{22}v_{12} + q_{11}q_{32}v_{13} + q_{12}^2v_{21} \\
 + q_{12}q_{22}v_{22} + q_{12}q_{32}v_{23} \\
 + q_{13}q_{12}v_{31} + q_{13}q_{22}v_{32} \\
 + q_{13}q_{32}v_{33}
 \end{aligned}$$

$$\frac{60}{82} - \frac{26}{82} + 0 - \frac{34}{82} + \frac{12}{82} + 0 + \frac{68}{82} - \frac{24}{82} + 0 = \frac{28}{41}$$

$$q_{13} + q_{11}v_{13} = 1 + \frac{10}{82} = \frac{46}{41}$$

$$q_{11}q_{13}v_{11} + q_{11}q_{23}v_{12} + q_{11}q_{33}v_{13} + q_{12}q_{13}v_{21} \\ + q_{12}q_{23}v_{22} + q_{12}q_{33}v_{23} \\ + q_{13}^2v_{31} + q_{13}q_{23}v_{32} \\ + q_{13}q_{33}v_{33}$$

$$\frac{60}{82} + 0 - \frac{10}{82} - \frac{34}{82} + 0 - \frac{8}{82} + \frac{68}{82} + 0 + \frac{16}{82} = \frac{46}{41}$$

$$q_{21} + q_{22}v_{21} = 1 - \frac{34}{82} = \frac{24}{41}$$

$$q_{21}q_{11}v_{11} + q_{21}^2v_{12} + q_{21}q_{31}v_{13} + q_{22}q_{11}v_{21} \\ + q_{22}q_{21}v_{22} + q_{22}q_{31}v_{23} \\ + q_{23}q_{11}v_{31} + q_{23}q_{21}v_{32} \\ + q_{23}q_{31}v_{33}$$

$$\frac{60}{82} - \frac{26}{82} + 2\left(\frac{10}{82}\right) - \frac{34}{82} + \frac{12}{82} + 2\left(\frac{8}{82}\right) + 0 + 0 + 0 = \\ \frac{24}{41}$$

$$q_{22}v_{22} = \frac{12}{82} = \frac{6}{41}$$

$$q_{21}q_{12}v_{11} + q_{21}q_{22}v_{12} + q_{21}q_{32}v_{13} + q_{12}q_{22}v_{21} \\ + q_{22}^2v_{22} + q_{22}q_{32}v_{23} \\ + q_{23}q_{12}v_{31} + q_{23}q_{22}v_{32} \\ + q_{23}q_{32}v_{33}$$

$$\frac{60}{82} - \frac{26}{82} + 0 - \frac{34}{82} + \frac{12}{82} + 0 + 0 + 0 + 0 = \frac{6}{41}$$

$$q_{22}v_{23} + q_{23} = \frac{8}{82} = \frac{4}{41}$$

$$q_{21}q_{13}v_{11} + q_{21}q_{23}v_{12} + q_{21}q_{33}v_{13} + q_{22}q_{13}v_{21} \\ + q_{22}q_{23}v_{22} + q_{22}q_{33}v_{23} \\ + q_{23}q_{13}v_{31} + q_{23}^2v_{32} \\ + q_{23}q_{33}v_{33}$$

$$\frac{60}{82} + 0 - \frac{10}{82} - \frac{34}{82} + 0 - \frac{8}{82} + 0 + 0 + 0 = \frac{4}{41}$$

$$q_{31} + q_{33}v_{31} = 2 - \frac{68}{82} = \frac{48}{41}$$

$$q_{31}q_{11}v_{11} + q_{31}q_{21}v_{12} + q_{31}^2v_{13} + q_{32}q_{11}v_{21} \\ + q_{32}q_{21}v_{22} + q_{32}q_{31}v_{23} \\ + q_{33}q_{11}v_{31} + q_{33}q_{21}v_{32} \\ + q_{33}q_{31}v_{33} =$$

$$2\left(\frac{60}{82}\right) - 2\left(\frac{26}{82}\right) + 4\left(\frac{10}{82}\right) + 0 + 0 + 0 - \frac{68}{82} + \frac{24}{82} +$$

$$2\left(\frac{16}{82}\right) = \frac{48}{41}$$

$$q_{33}v_{32} + q_{32} = \frac{24}{82} = \frac{12}{41}$$

$$q_{31}q_{12}v_{11} + q_{31}q_{22}v_{12} + q_{31}q_{32}v_{13} + q_{32}q_{12}v_{21} \\ + q_{32}q_{22}v_{22} + q_{32}^2v_{23} \\ + q_{33}q_{12}v_{31} + q_{33}q_{22}v_{32} \\ + q_{33}q_{32}v_{33} =$$

$$2\left(\frac{60}{82}\right) - 2\left(\frac{26}{82}\right) + 0 + 0 + 0 + 0 - \frac{68}{82} + \frac{24}{82} + 0 = \\ \frac{12}{41}$$

$$q_{33}v_{33} = \frac{16}{82} = \frac{8}{41}$$

$$q_{31}q_{13}v_{11} + q_{31}q_{23}v_{12} + q_{31}q_{33}v_{13} + q_{32}q_{13}v_{21} \\ + q_{32}q_{23}v_{22} + q_{32}q_{33}v_{23} \\ + q_{33}q_{13}v_{31} + q_{33}q_{23}v_{32} \\ + q_{33}^2v_{33} =$$

$$2\left(\frac{60}{82}\right) + 0 - 2\left(\frac{10}{82}\right) + 0 + 0 + 0 - \frac{68}{82} + 0 - \frac{16}{82} = \\ \frac{8}{41}$$

In the same way, this can be proved in example two.

Definition 2: System (1) is called J -adjoint (δ -adjoint) –semi–homogeneous if there are two non-zero matrices V and C such that the following equation holds:

$$F(VX) = J(Q)CF(X) \quad (F(VX) = \det J(Q)CF(X)), \text{ respectively}$$

Theorem 3:

A homogeneous system of differential equations is

J -adjoint (δ - adjoint)-semi-homogeneous if and

only if the matrix V equal to
$$\begin{bmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{bmatrix}$$

$$v_{11} = \frac{q_{11}^2 c_{11} + q_{21} q_{11} c_{12} + q_{11} q_{31} c_{13} + q_{12} q_{11} c_{21} + q_{21} q_{12} c_{22} + q_{12} q_{31} c_{23} + q_{13} q_{11} c_{31} + q_{13} q_{21} c_{32} + q_{13} q_{31} c_{33}}{q_{11}}$$

$$v_{12} = \frac{q_{11} q_{12} c_{11} + q_{11} q_{22} c_{12} + q_{11} q_{32} c_{13} + q_{12}^2 c_{21} + q_{12} q_{22} c_{22} + q_{12} q_{32} c_{23} + q_{13} q_{12} c_{31} + q_{13} q_{22} c_{32} + q_{13} q_{32} c_{33} - q_{12}}{q_{11}}$$

$$v_{13} = \frac{q_{11} q_{13} c_{11} + q_{11} q_{23} c_{12} + q_{11} q_{33} c_{13} + q_{12} q_{13} c_{21} + q_{12} q_{23} c_{22} + q_{12} q_{33} c_{23} + q_{13}^2 c_{31} + q_{13} q_{23} c_{32} + q_{13} q_{33} c_{33} - q_{13}}{q_{11}}$$

$$v_{21} = \frac{q_{21} q_{11} c_{11} + q_{21}^2 c_{12} + q_{21} q_{31} c_{13} + q_{22} q_{11} c_{21} + q_{22} q_{21} c_{22} + q_{22} q_{31} c_{23} + q_{23} q_{11} c_{31} + q_{23} q_{21} c_{32} + q_{23} q_{31} c_{33} - q_{21}}{q_{22}}$$

$$v_{22} = \frac{q_{21} q_{12} c_{11} + q_{21} q_{22} c_{12} + q_{21} q_{32} c_{13} + q_{12} q_{22} c_{21} + q_{22}^2 c_{22} + q_{22} q_{32} c_{23} + q_{23} q_{12} c_{31} + q_{23} q_{22} c_{32} + q_{23} q_{32} c_{33}}{q_{22}}$$

$$v_{23} = \frac{q_{21} q_{13} c_{11} + q_{21} q_{23} c_{12} + q_{21} q_{33} c_{13} + q_{22} q_{13} c_{21} + q_{22} q_{23} c_{22} + q_{22} q_{33} c_{23} + q_{23} q_{13} c_{31} + q_{23}^2 c_{32} + q_{23} q_{33} c_{33} - q_{23}}{q_{22}}$$

$$v_{31} = \frac{q_{31} q_{11} c_{11} + q_{31} q_{21} c_{12} + q_{31}^2 c_{13} + q_{32} q_{11} c_{21} + q_{32} q_{21} c_{22} + q_{32} q_{31} c_{23} + q_{33} q_{11} c_{31} + q_{33} q_{21} c_{32} + q_{33} q_{31} c_{33} - q_{31}}{q_{33}}$$

$$v_{32} = \frac{q_{31} q_{12} c_{11} + q_{31} q_{22} c_{12} + q_{31} q_{32} c_{13} + q_{32} q_{12} c_{21} + q_{32} q_{22} c_{22} + q_{32}^2 c_{23} + q_{33} q_{12} c_{31} + q_{33} q_{22} c_{32} + q_{33} q_{32} c_{33} - q_{32}}{q_{33}}$$

$$v_{33} = \frac{q_{31} q_{13} c_{11} + q_{31} q_{23} c_{12} + q_{31} q_{33} c_{13} + q_{32} q_{13} c_{21} + q_{32} q_{23} c_{22} + q_{32} q_{33} c_{23} + q_{33} q_{13} c_{31} + q_{33} q_{23} c_{32} + q_{33}^2 c_{33}}{q_{33}}$$

$$\left[\begin{array}{ccc} \frac{J(c_{11}q_{11}+c_{12}q_{21}+c_{13}q_{31})}{q_{11}} & \frac{J(c_{11}q_{12}+c_{12}q_{22}+c_{13}q_{32})-q_{12}}{q_{11}} & \frac{J(c_{11}q_{13}+c_{12}q_{23}+c_{13}q_{33})-q_{13}}{q_{11}} \\ \frac{J(c_{21}q_{11}+c_{22}q_{21}+c_{23}q_{31})-q_{21}}{q_{22}} & \frac{J(c_{21}q_{12}+c_{22}q_{22}+c_{23}q_{32})}{q_{22}} & \frac{J(c_{21}q_{13}+c_{22}q_{23}+c_{23}q_{33})-q_{23}}{q_{22}} \\ \frac{J(c_{31}q_{11}+c_{32}q_{21}+c_{33}q_{31})-q_{31}}{q_{33}} & \frac{J(c_{31}q_{12}+c_{32}q_{22}+c_{33}q_{32})-q_{32}}{q_{33}} & \frac{J(c_{31}q_{13}+c_{32}q_{23}+c_{33}q_{33})}{q_{33}} \end{array} \right],$$

respectively.

$$F \left(\begin{pmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} \right)$$

Proof: The proof for J - adjoint- semi homogeneous as the following:

Since F is a homogeneous system of degree 1, there exists a non-zero matrix (for example, let's say V) that allows the Eq 2 to be held with $k=1$.

$$F(VX) = J(Q)VF(X)$$

$$= J(Q) \begin{pmatrix} c_{11} & c_{12} & c_{13} \\ c_{21} & c_{22} & c_{23} \\ c_{31} & c_{32} & c_{33} \end{pmatrix} \begin{pmatrix} f(x) \\ g(y) \\ h(z) \end{pmatrix}$$

$$\begin{pmatrix} f(v_{11}x + v_{12}y + v_{13}z) \\ g(v_{21}x + v_{22}y + v_{23}z) \\ h(v_{31}x + v_{32}y + v_{33}z) \end{pmatrix} = \begin{pmatrix} q_{11} & q_{12} & q_{13} \\ q_{21} & q_{22} & q_{23} \\ q_{31} & q_{32} & q_{33} \end{pmatrix} \begin{pmatrix} c_{11}f(x) + c_{12}g(y) + c_{13}h(z) \\ c_{21}f(x) + c_{22}g(y) + c_{23}h(z) \\ c_{31}f(x) + c_{32}g(y) + c_{33}h(z) \end{pmatrix}$$

The left hand is

$$\begin{pmatrix} q_{11}v_{11}x + (q_{11}v_{12} + q_{12})y + (q_{11}v_{13} + q_{13})z \\ (q_{22}v_{21} + q_{21})x + q_{22}v_{22}y + (q_{22}v_{23} + q_{23})z \\ (q_{31} + q_{33}v_{31})x + (q_{32} + q_{33}v_{32})y + q_{33}v_{33}z \end{pmatrix}$$

The right hand is $\begin{pmatrix} G_1 \\ G_2 \\ G_3 \end{pmatrix}$ where

$$\begin{aligned} G_1 = & q_{11}^2c_{11}x + q_{11}c_{11}q_{12}y + q_{11}c_{11}q_{13}z \\ & + q_{11}c_{12}q_{21}x + q_{11}c_{12}q_{22}y \\ & + q_{11}q_{23}c_{12}z + q_{11}c_{13}q_{31}x \\ & + q_{11}c_{13}q_{32}y + q_{11}c_{13}q_{33}z \\ & + q_{12}c_{21}q_{11}x + q_{12}^2c_{21}y \\ & + q_{12}c_{21}q_{13}z + q_{12}c_{22}q_{21}x \\ & + q_{12}c_{22}q_{22}y + q_{12}c_{22}q_{23}z \\ & + q_{12}c_{23}q_{31}x + q_{12}c_{23}q_{32}y \\ & + q_{12}c_{23}q_{33}z + q_{13}c_{31}q_{11}x \\ & + q_{13}c_{31}q_{12}y + q_{13}^2c_{31}z \\ & + q_{13}c_{32}q_{21}x + q_{13}c_{32}q_{22}y \\ & + q_{13}c_{32}q_{23}z + q_{13}c_{33}q_{31}x \\ & + q_{13}c_{33}q_{32}y + q_{13}c_{33}q_{33}z \end{aligned}$$

$$\begin{aligned} G_2 = & q_{21}c_{11}q_{11}x + q_{12}c_{11}q_{21}y + q_{21}c_{11}q_{13}z \\ & + q_{21}^2c_{12}x + q_{21}c_{12}q_{22}y \\ & + q_{21}q_{23}c_{12}z + q_{21}c_{13}q_{31}x \\ & + q_{21}c_{13}q_{32}y + q_{21}c_{13}q_{33}z \\ & + q_{22}c_{21}q_{11}x + q_{22}c_{21}q_{12}y \\ & + q_{22}c_{21}q_{13}z + q_{22}c_{22}q_{21}x \\ & + q_{22}^2c_{22}y + q_{22}c_{22}q_{23}z \\ & + q_{22}c_{23}q_{31}x + q_{22}c_{23}q_{32}y \\ & + q_{22}c_{23}q_{33}z + q_{23}c_{31}q_{11}x \\ & + q_{23}c_{31}q_{12}y + q_{23}c_{31}q_{13}z \\ & + q_{23}c_{32}q_{21}x + q_{23}c_{32}q_{22}y \\ & + q_{23}^2c_{32}z + q_{23}c_{33}q_{31}x \\ & + q_{23}c_{33}q_{32}y + q_{23}c_{33}q_{33}z \end{aligned}$$

$$\begin{aligned} G_3 = & q_{31}c_{11}q_{11}x + q_{12}c_{11}q_{31}y + q_{31}c_{11}q_{13}z \\ & + q_{21}c_{12}q_{21}x + q_{31}c_{12}q_{22}y \\ & + q_{31}q_{23}c_{12}z + q_{31}^2c_{13}x \\ & + q_{31}c_{13}q_{32}y + q_{31}c_{13}q_{33}z \\ & + q_{32}c_{21}q_{11}x + q_{32}c_{21}q_{12}y \\ & + q_{32}c_{21}q_{13}z + q_{32}c_{22}q_{21}x \\ & + q_{32}c_{22}q_{22}y + q_{32}c_{22}q_{23}z \\ & + q_{32}c_{23}q_{31}x + q_{32}^2c_{23}y \\ & + q_{32}c_{23}q_{33}z + q_{33}c_{31}q_{11}x \\ & + q_{33}c_{31}q_{12}y + q_{33}c_{31}q_{13}z \\ & + q_{33}c_{32}q_{21}x + q_{33}c_{32}q_{22}y \\ & + q_{33}c_{32}q_{23}z + q_{33}c_{33}q_{31}x \\ & + q_{33}c_{33}q_{32}y + q_{33}^2c_{33}z \end{aligned}$$

$$\begin{aligned} q_{11}v_{11} = & q_{11}^2c_{11} + q_{21}q_{11}c_{12} + q_{11}q_{31}c_{13} \\ & + q_{12}q_{11}c_{21} + q_{21}q_{12}c_{22} \\ & + q_{12}q_{31}c_{23} + q_{13}q_{11}c_{31} \\ & + q_{13}q_{21}c_{32} + q_{13}q_{31}c_{33} \end{aligned}$$

$$\begin{aligned}
 q_{11}v_{12} + q_{12} &= q_{11}q_{12}c_{11} + q_{11}q_{22}c_{12} \\
 &+ q_{11}q_{32}c_{13} + q_{12}^2c_{21} + q_{12}q_{22}c_{22} \\
 &+ q_{12}q_{32}c_{23} + q_{13}q_{12}c_{31} \\
 &+ q_{13}q_{22}c_{32} + q_{13}q_{32}c_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{13} + q_{11}v_{13} &= q_{11}q_{13}c_{11} + q_{11}q_{23}c_{12} + q_{11}q_{33}c_{13} \\
 &+ q_{12}q_{13}c_{21} + q_{12}q_{23}c_{22} \\
 &+ q_{12}q_{33}c_{23} + q_{13}^2c_{31} + q_{13}q_{23}c_{32} \\
 &+ q_{13}q_{33}c_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{21} + q_{22}v_{21} &= q_{21}q_{11}c_{11} + q_{21}^2c_{12} + q_{21}q_{31}c_{13} \\
 &+ q_{22}q_{11}c_{21} + q_{22}q_{21}c_{22} \\
 &+ q_{22}q_{31}c_{23} + q_{23}q_{11}c_{31} \\
 &+ q_{23}q_{21}c_{32} + q_{23}q_{31}c_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{22}v_{22} &= q_{21}q_{12}c_{11} + q_{21}q_{22}c_{12} + q_{21}q_{32}c_{13} \\
 &+ q_{12}q_{22}c_{21} + q_{22}^2c_{22} + q_{22}q_{32}c_{23} \\
 &+ q_{23}q_{12}c_{31} + q_{23}q_{22}c_{32} \\
 &+ q_{23}q_{22}c_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{22}v_{23} + q_{23} &= q_{21}q_{13}c_{11} + q_{21}q_{23}c_{12} \\
 &+ q_{21}q_{33}c_{13} + q_{22}q_{13}c_{21} \\
 &+ q_{22}q_{23}c_{22} + q_{22}q_{33}c_{23} \\
 &+ q_{23}q_{13}c_{31} + q_{23}^2c_{32} + q_{23}q_{33}c_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{31} + q_{33}v_{31} &= q_{31}q_{11}c_{11} + q_{31}q_{21}c_{12} + q_{31}^2c_{13} \\
 &+ q_{32}q_{11}c_{21} + q_{32}q_{21}c_{22} \\
 &+ q_{32}q_{31}c_{23} + q_{33}q_{11}c_{31} \\
 &+ q_{33}q_{21}c_{32} + q_{33}q_{31}c_{33}
 \end{aligned}$$

Therefore,

$$\begin{aligned}
 q_{11} &\frac{q_{11}^2c_{11} + q_{21}q_{11}c_{12} + q_{11}q_{31}c_{13} + q_{12}q_{11}c_{21} + q_{21}q_{12}c_{22} + q_{12}q_{31}c_{23} + q_{13}q_{11}c_{31} + q_{13}q_{21}c_{32} + q_{13}q_{31}c_{33}}{q_{11}} \\
 &=
 \end{aligned}$$

$$\begin{aligned}
 q_{33}v_{32} + q_{32} &= q_{31}q_{12}c_{11} + q_{31}q_{22}c_{12} \\
 &+ q_{31}q_{32}c_{13} + q_{32}q_{12}c_{21} \\
 &+ q_{32}q_{22}c_{22} + q_{32}^2c_{23} + q_{33}q_{12}c_{31} \\
 &+ q_{33}q_{22}c_{32} + q_{33}q_{32}c_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{33}v_{33} &= q_{31}q_{13}c_{11} + q_{31}q_{23}c_{12} + q_{31}q_{33}c_{13} \\
 &+ q_{32}q_{13}c_{21} + q_{32}q_{23}c_{22} \\
 &+ q_{32}q_{33}c_{23} + q_{33}q_{13}c_{31} \\
 &+ q_{33}q_{23}c_{32} + q_{33}^2c_{33}
 \end{aligned}$$

It is simple to show that matrix V

$$\text{equals: } \begin{bmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{bmatrix}$$

Conversely:

Suppose that there is a matrix V equal to

$$\begin{bmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{bmatrix}$$

To show that system (3) is J -adjoint-semi-homogeneous, that is

$$F(VX) = J(Q)CF(X)$$

By putting the value of the matrix V in 3, we have

$$\begin{aligned}
 F \left(\begin{pmatrix} v_{11} & v_{12} & v_{13} \\ v_{21} & v_{22} & v_{23} \\ v_{31} & v_{32} & v_{33} \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} \right) \\
 = J(Q) \begin{pmatrix} c_{11} & c_{12} & c_{13} \\ c_{21} & c_{22} & c_{23} \\ c_{31} & c_{32} & c_{33} \end{pmatrix} \begin{pmatrix} f(x) \\ g(y) \\ h(z) \end{pmatrix}
 \end{aligned}$$

$$\begin{aligned}
 q_{11}^2 c_{11} + q_{21} q_{11} c_{12} + q_{11} q_{31} c_{13} + q_{12} q_{11} c_{21} & & q_{11}^2 c_{11} + q_{21} q_{11} c_{12} + q_{11} q_{31} c_{13} + q_{12} q_{11} c_{21} \\
 + q_{21} q_{12} c_{22} + q_{12} q_{31} c_{23} & & + q_{21} q_{12} c_{22} + q_{12} q_{31} c_{23} \\
 + q_{13} q_{11} c_{31} + q_{13} q_{21} c_{32} & & + q_{13} q_{11} c_{31} + q_{13} q_{21} c_{32} \\
 + q_{13} q_{31} c_{33} & & + q_{13} q_{31} c_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{11}^2 c_{11} + q_{21} q_{11} c_{12} + q_{11} q_{31} c_{13} + q_{12} q_{11} c_{21} & \text{and} \\
 + q_{21} q_{12} c_{22} + q_{12} q_{31} c_{23} & \\
 + q_{13} q_{11} c_{31} + q_{13} q_{21} c_{32} & \\
 + q_{13} q_{31} c_{33} = &
 \end{aligned}$$

$$q_{11} \frac{q_{11} q_{12} c_{11} + q_{11} q_{22} c_{12} + q_{11} q_{32} c_{13} + q_{12}^2 c_{21} + q_{12} q_{22} c_{22} + q_{12} q_{32} c_{23} + q_{13} q_{12} c_{31} + q_{13} q_{22} c_{32} + q_{13} q_{32} c_{33} - q_{12}}{q_{11}}$$

$$\begin{aligned}
 +q_{12} = q_{11} q_{12} c_{11} + q_{11} q_{22} c_{12} + q_{11} q_{32} c_{13} + q_{12}^2 c_{21} & & q_{11} q_{12} c_{11} + q_{11} q_{22} c_{12} + q_{11} q_{32} c_{13} + q_{12}^2 c_{21} \\
 + q_{12} q_{22} c_{22} + q_{12} q_{32} c_{23} + q_{13} q_{12} c_{31} & & + q_{12} q_{22} c_{22} + q_{12} q_{32} c_{23} \\
 + q_{13} q_{22} c_{32} + q_{13} q_{32} c_{33} & & + q_{13} q_{12} c_{31} + q_{13} q_{22} c_{32} \\
 & & + q_{13} q_{32} c_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{11} q_{12} c_{11} + q_{11} q_{22} c_{12} + q_{11} q_{32} c_{13} + q_{12}^2 c_{21} & \text{and} \\
 + q_{12} q_{22} c_{22} + q_{12} q_{32} c_{23} & \\
 + q_{13} q_{12} c_{31} + q_{13} q_{22} c_{32} & \\
 + q_{13} q_{32} c_{33} = &
 \end{aligned}$$

$$q_{13} + q_{11} \frac{q_{11} q_{13} c_{11} + q_{11} q_{23} c_{12} + q_{11} q_{33} c_{13} + q_{12} q_{13} c_{21} + q_{12} q_{23} c_{22} + q_{12} q_{33} c_{23} + q_{13}^2 c_{31} + q_{13} q_{23} c_{32} + q_{13} q_{33} c_{33} - q_{13}}{q_{11}}$$

$$\begin{aligned}
 = q_{11} q_{13} c_{11} + q_{11} q_{23} c_{12} + q_{11} q_{33} c_{13} + q_{12} q_{13} c_{21} & & q_{11} q_{13} c_{11} + q_{11} q_{23} c_{12} + q_{11} q_{33} c_{13} + q_{12} q_{13} c_{21} \\
 + q_{12} q_{23} c_{22} + q_{12} q_{33} c_{23} + q_{13}^2 c_{31} & & + q_{12} q_{23} c_{22} + q_{12} q_{33} c_{23} + q_{13}^2 c_{31} \\
 + q_{13} q_{23} c_{32} + q_{13} q_{33} c_{33} & & + q_{13} q_{23} c_{32} + q_{13} q_{33} c_{33}
 \end{aligned}$$

$$\begin{aligned}
 q_{11} q_{13} c_{11} + q_{11} q_{23} c_{12} + q_{11} q_{33} c_{13} + q_{12} q_{13} c_{21} & \text{and} \\
 + q_{12} q_{23} c_{22} + q_{12} q_{33} c_{23} + q_{13}^2 c_{31} & \\
 + q_{13} q_{23} c_{32} + q_{13} q_{33} c_{33} = & q_{21}
 \end{aligned}$$

$$+q_{22} \frac{q_{21} q_{11} c_{11} + q_{21}^2 c_{12} + q_{21} q_{31} c_{13} + q_{22} q_{11} c_{21} c_{21} + q_{22} q_{21} c_{22} + q_{22} q_{31} c_{23} + q_{23} q_{11} c_{31} + q_{23} q_{21} c_{32} + q_{23} q_{31} c_{33} - q_{21}}{q_{22}}$$

$$= q_{21} q_{11} c_{11} + q_{21}^2 c_{12} + q_{21} q_{31} c_{13} + q_{22} q_{11} c_{21} c_{21} + q_{22} q_{21} c_{22} + q_{22} q_{31} c_{23} + q_{23} q_{11} c_{31} + q_{23} q_{21} c_{32} + q_{23} q_{31} c_{33}$$

$$\begin{aligned}
 q_{21} q_{11} c_{11} + q_{21}^2 c_{12} + q_{21} q_{31} c_{13} + q_{22} q_{11} c_{21} c_{21} & & q_{21} q_{11} c_{11} + q_{21}^2 c_{12} + q_{21} q_{31} c_{13} + q_{22} q_{11} c_{21} c_{21} \\
 + q_{22} q_{21} c_{22} + q_{22} q_{31} c_{23} & & + q_{22} q_{21} c_{22} + q_{22} q_{31} c_{23} \\
 + q_{23} q_{11} c_{31} + q_{23} q_{21} c_{32} & & + q_{23} q_{11} c_{31} + q_{23} q_{21} c_{32} \\
 + q_{23} q_{31} c_{33} = & & + q_{23} q_{31} c_{33}
 \end{aligned}$$

and

$$\begin{aligned}
 & q_{22} \frac{q_{21}q_{12}c_{11} + q_{21}q_{22}c_{12} + q_{21}q_{32}c_{13} + q_{12}q_{22}c_{21} + q_{22}^2c_{22} + q_{22}q_{32}c_{23} + q_{23}q_{12}c_{31} + q_{23}q_{22}c_{32} + q_{23}q_{22}c_{33}}{q_{22}} \\
 &= q_{21}q_{12}c_{11} + q_{21}q_{22}c_{12} + q_{21}q_{32}c_{13} \qquad q_{21}q_{12}c_{11} + q_{21}q_{22}c_{12} + q_{21}q_{32}c_{13} + q_{12}q_{22}c_{21} \\
 &\quad + q_{12}q_{22}c_{21} + q_{22}^2c_{22} + q_{22}q_{32}c_{23} \qquad + q_{22}^2c_{22} + q_{22}q_{32}c_{23} + q_{23}q_{12}c_{31} \\
 &\quad + q_{23}q_{12}c_{31} + q_{23}q_{22}c_{32} \qquad + q_{23}q_{22}c_{32} + q_{23}q_{32}c_{33} \\
 &\quad + q_{23}q_{32}c_{33} \qquad \text{and} \\
 & q_{21}q_{12}c_{11} + q_{21}q_{22}c_{12} + q_{21}q_{32}c_{13} + q_{12}q_{22}c_{21} \\
 &\quad + q_{22}^2c_{22} + q_{22}q_{32}c_{23} + q_{23}q_{12}c_{31} \\
 &\quad + q_{23}q_{22}c_{32} + q_{23}q_{32}c_{33} = \\
 & q_{22} \frac{q_{21}q_{13}c_{11} + q_{21}q_{23}c_{12} + q_{21}q_{33}c_{13} + q_{22}q_{13}c_{21} + q_{22}q_{23}c_{22} + q_{22}q_{33}c_{23} + q_{23}q_{13}c_{31} + q_{23}^2c_{32} + q_{23}q_{33}c_{33} - q_{23}}{q_{22}} \\
 &+ q_{23} = q_{21}q_{13}c_{11} + q_{21}q_{23}c_{12} + q_{21}q_{33}c_{13} + q_{22}q_{13}c_{21} \qquad q_{21}q_{13}c_{11} + q_{21}q_{23}c_{12} + q_{21}q_{33}c_{13} + q_{22}q_{13}c_{21} \\
 &\quad + q_{22}q_{23}c_{22} + q_{22}q_{33}c_{23} + q_{23}q_{13}c_{31} \qquad + q_{22}q_{23}c_{22} + q_{22}q_{33}c_{23} \\
 &\quad + q_{23}^2c_{32} + q_{23}q_{33}c_{33} \qquad + q_{23}q_{13}c_{31} + q_{23}^2c_{32} + q_{23}q_{33}c_{33} \\
 & q_{21}q_{13}c_{11} + q_{21}q_{23}c_{12} + q_{21}q_{33}c_{13} + q_{22}q_{13}c_{21} \qquad \text{and} \\
 &\quad + q_{22}q_{23}c_{22} + q_{22}q_{33}c_{23} \\
 &\quad + q_{23}q_{13}c_{31} + q_{23}^2c_{32} + q_{23}q_{33}c_{33} \\
 &= \\
 & q_{31} \\
 &+ q_{33} \frac{q_{31}q_{11}c_{11} + q_{31}q_{21}c_{12} + q_{31}^2c_{13} + q_{32}q_{11}c_{21} + q_{32}q_{21}c_{22} + q_{32}q_{31}c_{23} + q_{33}q_{11}c_{31} + q_{33}q_{21}c_{32} + q_{33}q_{31}c_{33} - q_{31}}{q_{33}} \\
 &= q_{31}q_{11}c_{11} + q_{31}q_{21}c_{12} + q_{31}^2c_{13} + q_{32}q_{11}c_{21} \qquad q_{31}q_{11}c_{11} + q_{31}q_{21}c_{12} + q_{31}^2c_{13} + q_{32}q_{11}c_{21} \\
 &\quad + q_{32}q_{21}c_{22} + q_{32}q_{31}c_{23} + q_{33}q_{11}c_{31} \qquad + q_{32}q_{21}c_{22} + q_{32}q_{31}c_{23} \\
 &\quad + q_{33}q_{21}c_{32} + q_{33}q_{31}c_{33} \qquad + q_{33}q_{11}c_{31} + q_{33}q_{21}c_{32} \\
 & q_{31}q_{11}c_{11} + q_{31}q_{21}c_{12} + q_{31}^2c_{13} + q_{32}q_{11}c_{21} \qquad + q_{33}q_{31}c_{33} \\
 &\quad + q_{32}q_{21}c_{22} + q_{32}q_{31}c_{23} \qquad \text{and} \\
 &\quad + q_{33}q_{11}c_{31} + q_{33}q_{21}c_{32} \\
 &\quad + q_{33}q_{31}c_{33} = \\
 & q_{33} \frac{q_{31}q_{12}c_{11} + q_{31}q_{22}c_{12} + q_{31}q_{32}c_{13} + q_{32}q_{12}c_{21} + q_{32}q_{22}c_{22} + q_{32}^2c_{23} + q_{33}q_{12}c_{31} + q_{33}q_{22}c_{32} + q_{33}q_{32}c_{33} - q_{32}}{q_{33}} \\
 &+ q_{32} \\
 &= q_{31}q_{12}c_{11} + q_{31}q_{22}c_{12} + q_{31}q_{32}c_{13} + q_{32}q_{12}c_{21} \qquad q_{31}q_{12}c_{11} + q_{31}q_{22}c_{12} + q_{31}q_{32}c_{13} + q_{32}q_{12}c_{21} \\
 &\quad + q_{32}q_{22}c_{22} + q_{32}^2c_{23} + q_{33}q_{12}c_{31} \qquad + q_{32}q_{22}c_{22} + q_{32}^2c_{23} + q_{33}q_{12}c_{31} \\
 &\quad + q_{33}q_{22}c_{32} + q_{33}q_{32}c_{33} \qquad + q_{33}q_{22}c_{32} + q_{33}q_{32}c_{33} =
 \end{aligned}$$



$$q_{31}q_{12}c_{11} + q_{31}q_{22}c_{12} + q_{31}q_{32}c_{13} + q_{32}q_{12}c_{21} \\ + q_{32}q_{22}c_{22} + q_{32}^2c_{23} + q_{33}q_{12}c_{31} \\ + q_{33}q_{22}c_{32} + q_{33}q_{32}c_{33}$$

and

$$q_{33} \frac{q_{31}q_{13}c_{11} + q_{31}q_{23}c_{12} + q_{31}q_{33}c_{13} + q_{32}q_{13}c_{21} + q_{32}q_{23}c_{22} + q_{32}q_{33}c_{23} + q_{33}q_{13}c_{31} + q_{33}q_{23}c_{32} + q_{33}^2c_{33}}{q_{33}}$$

$$= q_{31}q_{13}c_{11} + q_{31}q_{23}c_{12} + q_{31}q_{33}c_{13} + q_{32}q_{13}c_{21} \\ + q_{32}q_{23}c_{22} + q_{32}q_{33}c_{23} \\ + q_{33}q_{13}c_{31} + q_{33}q_{23}c_{32} + q_{33}^2c_{33}$$

$$q_{21} + q_{22}v_{21} = q_{21}q_{11}c_{11} + q_{21}^2c_{12} + q_{21}q_{31}c_{13} \\ + q_{22}q_{11}c_{21} + q_{22}q_{21}c_{22} \\ + q_{22}q_{31}c_{23} + q_{23}q_{11}c_{31} \\ + q_{23}q_{21}c_{32} + q_{23}q_{31}c_{33}$$

$$q_{31}q_{13}c_{11} + q_{31}q_{23}c_{12} + q_{31}q_{33}c_{13} + q_{32}q_{13}c_{21} \\ + q_{32}q_{23}c_{22} + q_{32}q_{33}c_{23} \\ + q_{33}q_{13}c_{31} + q_{33}q_{23}c_{32} + q_{33}^2c_{33} \\ =$$

$$q_{22}v_{22} = q_{21}q_{12}c_{11} + q_{21}q_{22}c_{12} + q_{21}q_{32}c_{13} \\ + q_{12}q_{22}c_{21} + q_{22}^2c_{22} + q_{22}q_{32}c_{23} \\ + q_{23}q_{12}c_{31} + q_{23}q_{22}c_{32} \\ + q_{23}q_{22}c_{33}$$

$$q_{31}q_{13}c_{11} + q_{31}q_{23}c_{12} + q_{31}q_{33}c_{13} + q_{32}q_{13}c_{21} \\ + q_{32}q_{23}c_{22} + q_{32}q_{33}c_{23} \\ + q_{33}q_{13}c_{31} + q_{33}q_{23}c_{32} + q_{33}^2c_{33}$$

$$q_{22}v_{23} + q_{23} = q_{21}q_{13}c_{11} + q_{21}q_{23}c_{12} \\ + q_{21}q_{33}c_{13} + q_{22}q_{13}c_{21} \\ + q_{22}q_{23}c_{22} + q_{22}q_{33}c_{23} \\ + q_{23}q_{13}c_{31} + q_{23}^2c_{32} + q_{23}q_{33}c_{33}$$

That, the left hand is equal to the right hand, and the system (4) is J -adjoint-semi-homogenous.

Corollary 2: A homogeneous system of a differential equation (4) is J -adjoint-homogenous if the following is held:

$$q_{11}v_{11} = q_{11}^2c_{11} + q_{21}q_{11}c_{12} + q_{11}q_{31}c_{13} \\ + q_{12}q_{11}c_{21} + q_{21}q_{12}c_{22} \\ + q_{12}q_{31}c_{23} + q_{13}q_{11}c_{31} \\ + q_{13}q_{21}c_{32} + q_{13}q_{31}c_{33}$$

$$q_{31} + q_{33}v_{31} = q_{31}q_{11}c_{11} + q_{31}q_{21}c_{12} + q_{31}^2c_{13} \\ + q_{32}q_{11}c_{21} + q_{32}q_{21}c_{22} \\ + q_{32}q_{31}c_{23} + q_{33}q_{11}c_{31} \\ + q_{33}q_{21}c_{32} + q_{33}q_{31}c_{33}$$

$$q_{11}v_{12} + q_{12} = q_{11}q_{12}c_{11} + q_{11}q_{22}c_{12} \\ + q_{11}q_{32}c_{13} + q_{12}^2c_{21} + q_{12}q_{22}c_{22} \\ + q_{12}q_{32}c_{23} + q_{13}q_{12}c_{31} \\ + q_{13}q_{22}c_{32} + q_{13}q_{32}c_{33}$$

$$q_{33}v_{32} + q_{32} = q_{31}q_{12}c_{11} + q_{31}q_{22}c_{12} \\ + q_{31}q_{32}c_{13} + q_{32}q_{12}c_{21} \\ + q_{32}q_{22}c_{22} + q_{32}^2c_{23} + q_{33}q_{12}c_{31} \\ + q_{33}q_{22}c_{32} + q_{33}q_{32}c_{33}$$

$$q_{13} + q_{11}v_{13} = q_{11}q_{13}c_{11} + q_{11}q_{23}c_{12} + q_{11}q_{33}c_{13} \\ + q_{12}q_{13}c_{21} + q_{12}q_{23}c_{22} \\ + q_{12}q_{33}c_{23} + q_{13}^2c_{31} + q_{13}q_{23}c_{32} \\ + q_{13}q_{33}c_{33}$$

$$q_{33}v_{33} = q_{31}q_{13}c_{11} + q_{31}q_{23}c_{12} + q_{31}q_{33}c_{13} \\ + q_{32}q_{13}c_{21} + q_{32}q_{23}c_{22} \\ + q_{32}q_{33}c_{23} + q_{33}q_{13}c_{31} \\ + q_{33}q_{23}c_{32} + q_{33}^2c_{33}$$

Proof: Direct from Theorem 3

Example 3:

1- Consider the system $F(X) = QX$ where $Q =$

$$\begin{bmatrix} 2 & 1 & 0 \\ 1 & -1 & -1 \\ 3 & 0 & 2 \end{bmatrix}, \text{ then there are two matrices } V = \begin{bmatrix} \frac{19}{2} & 2 & \frac{9}{2} \\ 1 & 0 & -4 \\ 11 & 4 & \frac{21}{2} \end{bmatrix} \text{ and } C = \begin{bmatrix} 1 & -1 & 2 \\ 2 & 1 & 0 \\ 0 & -1 & 1 \end{bmatrix} \text{ that satisfy}$$

the equation:

$$F(VX) = J(Q)CF(X)$$

2- Consider the system $F(X) = QX$ where $Q =$

$$\begin{bmatrix} 1 & 0 & 1 \\ -1 & 2 & 0 \\ 0 & 0 & -1 \end{bmatrix} \text{ Then there are two matrices, } V = \begin{bmatrix} 2 & -8 & -3 \\ \frac{3}{2} & 0 & 0 \\ 2 & 4 & 2 \end{bmatrix} \text{ and } C = \begin{bmatrix} 1 & 2 & 0 \\ -1 & 0 & -1 \\ 2 & 1 & 1 \end{bmatrix} \text{ that satisfy}$$

the equation:

$$F(VX) = \det J(Q)CF(X),$$

then the systems in 1 and 2 are J -adjoint (δ - adjoint) –semi–homogeneous, respectively.

Results and Discussion

In this study, we obtained a definition equivalent to the definition of a semi-homogeneous system of type J , as well as a definition equivalent to that of type δ , as mentioned in theorems 1 and 2. Examples of these equivalents were given and the relationship between

a semi-homogeneous system of type J and a semi-homogeneous system of type δ was studied. Necessary and sufficient conditions were found for the system of differential equations to be a semi-homogeneous system of type J and δ

Conclusion

In this work, the classification of three-dimensional differential equation systems was presented based on the definition of the Jacobian matrix and its determinant, the two homogeneous systems were defined, called the J -semi-homogeneous system and the other δ -semi-homogeneous system, where the

first definition was based on the Jacobian matrix, demonstrating the generalizability of the concept of homogeneity, on both definitions, examples were provided, and their interrelationship was examined. in addition to discovering an equivalent for these two definitions.

Acknowledgment

The authors thank the University of Mustansiriyah for their supported; also, thanks the Department of

Mathematics at College of Science for provide a good environment to do this research.

Authors' Declaration

- Conflicts of Interest: None.
- We hereby confirm that all the Figures and Tables in the manuscript are ours. Furthermore, any Figures and images, that are not ours, have been included with the necessary permission for publication, which is attached to the manuscript.

- No animal studies are present in the manuscript.
- No human studies are present in the manuscript.
- Ethical Clearance: The project was approved by the local ethical committee at Mustansiriyah University.

Authors' Contribution Statement

B. J. Al. and A.H.H. contributed to the design and implementation of the research, the proof of the theorems, and the writing of the manuscript.

References

- 1- Wen Y, Marco A. Robust Visual Servoing of Robot Manipulators with Neuro Compensation. *J.Frank.Inst.* 2005 Nov; 342(7): 824-838. <https://doi.org/10.1016/j.jfranklin.2005.06.003>
- 2- Chen D, Zhang Y, Shuai Li. Tracking control of robot manipulators with unknown models: A jacobian-matrix-adaption method. *IEEE Trans Industr Inform.* 2017 Oct;14(7), 3044-3053. <https://doi.org/10.1109/TII.2017.2766455>
- 3- Bastani M. Convergence of the multistage variational iteration method for solving a general system of ordinary differential equations. *J Math Model.*2014; 2 (1): 90-106. https://jmm.guilan.ac.ir/article_104_f77d0661b0b207e3d5c44d996f4086fd.pdf
- 4- Matsumoto, Chuo University and Ferenc Szidarovszky, University of Arizona, Delay Differential Nonlinear Economic Models, Higashi-Nakano, Tokyo, 192-0393, Japan, Tucson, Arizona, 85721-0020, USA. https://link.springer.com/chapter/10.1007/978-3-642-04023-8_11
- 5- Baron. S. Study the Effect of Solar Radiation Pressure at Several Satellite Orbits. *Baghdad Sci J.* 2013; 10(4): 1253-1261. <https://doi.org/10.21123/bsj.2013.10.4.1253-1261>
- 6- Smrati Rai N.Sir L, Vedavathi G, Vikram K. Application of differential equations Using First Order. *IJEAR.* 2016; 6(2):14-17. https://www.academia.edu/28877469/Application_of_Differential_Equations_using_First_Order?source=wp_share
- 7- Edelman. The Mathematics of Infinite Random Matrices Essentials of Finite Random Matrix Theory. September 28, 2004. <https://ocw.mit.edu/courses/18-338j-infinite-random-matrix-theory-fall->
- 8- Mahata G, Raut D, Parida C, Baral S, Mandangi S. Application of First-order Differential Equations. *Int J Eng Sci.* September-October 2022; 6(5): 23-33. <https://doi.org/10.29121/ijoeest.v6.i5.2022.402>
- 9- Al-Hawasy JA, Al-Anbaki WA. The Classical Continuous Optimal Control for Quaternary Nonlinear Parabolic System. *Baghdad Sci J.* 2023; 20(4): 1366-1379. <https://dx.doi.org/10.21123/bsj.2023.7039>
- 10- Hussein A S, AL-Asadi B J. Characterization of P-Semi Homogeneous System of Difference Equations of Three Dimensions. *Iraqi J Sci Mar.* 2024 Mar; 35(3): 1445-1458. <https://ijs.uobaghdad.edu.iq/index.php/eijs/article/view/8531/4951>

حول الأنظمة $(J - \delta)$ شبه المتجانسة للمعادلات التفاضلية

ايه حميد حسن، بسام جبار الاسدي

قسم الرياضيات، كلية العلوم، الجامعة المستنصرية، بغداد، العراق

الخلاصة

مفهوم التجانس في المعادلات التفاضلية يمكن ان يعمم على أنظمة المعادلات التفاضلية، حيث تم في هذا العمل عرض تصنيف لأنظمة المعادلات التفاضلية ثلاثية الأبعاد بناءً على تعريف مصفوفة الجاكوبيان ومحدداتها، حيث تم تعريف نظامين من النظام المتجانس، ويسمى النظام شبه المتجانس من النمط δ ، والنظام الآخر شبه المتجانس من النمط J ، حيث اعتمد التعريف الأول على مصفوفة الجاكوبيان، بينما اعتمد الثاني على محدد المصفوفة الجاكوبية. وتم تقديم أمثلة على كلا التعريفين، ودراسة العلاقة بينهما. بالإضافة إلى إيجاد معادلات لهذين التعريفين، وقد تم أيضاً إثبات بعض النتائج لهذين التعريفين.

الكلمات المفتاحية: النظام شبه المتجانس من النمط δ ، مصفوفة الجاكوبيان، النظام شبه المتجانس من النمط J ، شبه متجانس، نظام المعادلات التفاضلية.